

2018

35<sup>TH</sup> ANNUAL TOW-VEHICLE RATINGS

# GUIDE TO TOWING

A Supplement to  
**TRAILER  
LIFE**



## NEW TRUCKS AND SUVS FOR 2018

**PLUS:** HOW TO HITCH UP AND GO | TIPS TO TOW LIKE A PRO

SPONSORED BY





# 2018 TOW RATINGS

## KEY TO CHARTS

### VEHICLE

|                |              |
|----------------|--------------|
| <b>Reg Cab</b> | Regular Cab  |
| <b>Ext Cab</b> | Extended Cab |
| <b>CC</b>      | Crew Cab     |
| <b>DC</b>      | Double Cab   |
| <b>SB</b>      | Shortbed     |
| <b>Std Bed</b> | Standard Bed |
| <b>LB</b>      | Longbed      |
| <b>CV</b>      | Cargo Van    |

|            |                   |
|------------|-------------------|
| <b>PV</b>  | Passenger Van     |
| <b>SRW</b> | Single Rear Wheel |
| <b>DRW</b> | Dual Rear Wheel   |
| <b>AWD</b> | All-Wheel Drive   |
| <b>FWD</b> | Front-Wheel Drive |
| <b>RWD</b> | Rear-Wheel Drive  |
| <b>2WD</b> | Two-Wheel Drive   |
| <b>4WD</b> | Four-Wheel Drive  |

|            |                 |
|------------|-----------------|
| <b>SWB</b> | Short Wheelbase |
| <b>LWB</b> | Long Wheelbase  |
| <b>EL</b>  | Extra Length    |
| <b>LR</b>  | Low Roof        |
| <b>MR</b>  | Medium Roof     |
| <b>HR</b>  | High Roof       |
| <b>EHR</b> | Extra-High Roof |

### ENGINE

|           |              |
|-----------|--------------|
| <b>TD</b> | Turbo Diesel |
| <b>TC</b> | Turbocharged |
| <b>SC</b> | Supercharged |

### GEAR RATIO

|          |        |          |        |
|----------|--------|----------|--------|
| <b>b</b> | 3.08:1 | <b>h</b> | 3.55:1 |
| <b>c</b> | 3.15:1 | <b>i</b> | 3.73:1 |
| <b>d</b> | 3.21:1 | <b>j</b> | 3.92:1 |
| <b>e</b> | 3.23:1 | <b>k</b> | 4.10:1 |
| <b>f</b> | 3.31:1 | <b>l</b> | 4.30:1 |
| <b>g</b> | 3.42:1 |          |        |

|            |                                   |
|------------|-----------------------------------|
| <b>a</b>   | Automatic Transmission            |
| <b>a6</b>  | Automatic Transmission, 6 Speeds  |
| <b>a8</b>  | Automatic Transmission, 8 Speeds  |
| <b>a9</b>  | Automatic Transmission, 9 Speeds  |
| <b>a10</b> | Automatic Transmission, 10 Speeds |
| <b>m</b>   | Manual Transmission               |

|           |                                                                    |
|-----------|--------------------------------------------------------------------|
| <b>m6</b> | Manual Transmission, 6 Speeds                                      |
| <b>p</b>  | Cooling or Other Accessory Package Required                        |
| <b>t</b>  | Tow Package/Upgraded Tow Package Required for Maximum Tow Capacity |
| <b>/</b>  | Either/Or                                                          |
| <b>.</b>  | More Than One Footnote Applies                                     |

### VEHICLE

### ENGINE TOW LIMIT (lbs.)

#### ACURA

|            |          |             |
|------------|----------|-------------|
| MDX FWD    | 3.5L V-6 | 3,500 (t)   |
| MDX SH AWD | 3.5L V-6 | 3,500 (p,t) |

#### AUDI

|    |             |           |
|----|-------------|-----------|
| Q5 | 2.0L I-4 TC | 4,400 (t) |
| Q7 | 2.0L I-4 TC | 4,400 (t) |
| Q7 | 3.0L V-6 SC | 7,700 (t) |

#### BMW

|    |     |           |
|----|-----|-----------|
| X3 | All | 4,400     |
| X4 | All | 3,500 (t) |
| X5 | All | 6,000 (t) |
| X6 | All | 6,000 (t) |

#### FIAT CHRYSLER AUTOMOBILES

##### CHRYSLER

|                   |          |           |
|-------------------|----------|-----------|
| Chrysler Pacifica | 3.6L V-6 | 3,600 (t) |
|-------------------|----------|-----------|

##### DODGE

|                       |          |           |
|-----------------------|----------|-----------|
| Dodge Durango RWD/AWD | 3.6L V-6 | 6,200 (t) |
| Dodge Durango RWD     | 5.7L V-8 | 7,400 (t) |
| Dodge Durango AWD     | 5.7L V-8 | 7,200 (t) |

|                       |          |            |
|-----------------------|----------|------------|
| Dodge Durango AWD     | 6.4L V-8 | 8,600 (t)  |
| Dodge Grand Caravan   | 3.6L V-6 | 3,600 (t)  |
| Dodge Journey FWD/AWD | 3.6L V-6 | 2,500 (t)* |

\*Hitch receiver not included in optional tow-prep package.

##### JEEP

|                              |             |               |
|------------------------------|-------------|---------------|
| Cherokee FWD/4WD             | All         | 2,000**       |
| Cherokee FWD/4WD             | 2.4L I-4    | 2,000 (t)     |
| Cherokee FWD/4WD             | 3.2L V-6    | 4,500 (t)     |
| Compass 4WD                  | 2.4L I-4    | 2,000 (t)     |
| Grand Cherokee 2WD           | 3.6L V-6    | 6,200 (t)     |
| Grand Cherokee 2WD           | 3.0L V-6 TD | 7,400 (t)     |
| Grand Cherokee 4WD           | 3.6L V-6    | 6,200 (t)*    |
| Grand Cherokee 4WD           | 3.0L V-6 TD | 7,200 (t)*    |
| Grand Cherokee 4WD           | 5.7L V-8    | 7,200 (t)*    |
| Grand Cherokee 4WD SRT       | 6.4L V-8    | 7,200 (t)     |
| Grand Cherokee 4WD Trackhawk | 6.2L V-8 SC | 7,200 (t)     |
| Renegade 4WD                 | 2.4L I-4    | 2,000 (t)     |
| Wrangler                     | 3.6L V-6    | 2,000 (d,t)   |
| Wrangler                     | 3.6L V-6    | 3,500 (i,k,t) |

\*Tow package required for some models, standard on others. See dealer for details.

\*\*All Cherokee models equipped with aftermarket Class II hitch.

##### RAM

Ram 1500 Bed Lengths: Shortbed 5'7"/Standard 6'4"/Longbed 8'

# 2018 TOW RATINGS

## Ram 1500 Regular Cab Standard Bed

|                                  |          |              |
|----------------------------------|----------|--------------|
| Ram 1500 Reg Cab Std Bed 2WD     | 3.6L V-6 | 4,970 (a8,d) |
| Ram 1500 Reg Cab Std Bed 2WD     | 3.6L V-6 | 7,260 (a8,h) |
| Ram 1500 Reg Cab Std Bed 2WD     | 5.7L V-8 | 7,170 (a6,d) |
| Ram 1500 Reg Cab Std Bed 2WD     | 5.7L V-8 | 9,220 (a6,h) |
| Ram 1500 Reg Cab Std Bed 2WD     | 5.7L V-8 | 9,150 (a6,j) |
| Ram 1500 Reg Cab Std Bed 2WD     | 5.7L V-8 | 8,610 (a8,d) |
| Ram 1500 Reg Cab Std Bed 2WD     | 5.7L V-8 | 9,160 (a8,j) |
| Ram 1500 Reg Cab Std Bed 2WD R/T | 5.7L V-8 | 5,030 (a8,j) |
| Ram 1500 Reg Cab Std Bed 4WD     | 3.6L V-6 | 4,750 (a8,d) |
| Ram 1500 Reg Cab Std Bed 4WD     | 3.6L V-6 | 7,050 (a8,h) |
| Ram 1500 Reg Cab Std Bed 4WD     | 5.7L V-8 | 9,030 (a6,h) |
| Ram 1500 Reg Cab Std Bed 4WD     | 5.7L V-8 | 8,960 (a6,j) |
| Ram 1500 Reg Cab Std Bed 4WD     | 5.7L V-8 | 8,380 (a8,d) |
| Ram 1500 Reg Cab Std Bed 4WD     | 5.7L V-8 | 8,930 (a8,j) |

## Ram 1500 Regular Cab Longbed

|                         |             |                |
|-------------------------|-------------|----------------|
| Ram 1500 Reg Cab LB 2WD | 3.6L V-6    | 4,770 (a8,d)   |
| Ram 1500 Reg Cab LB 2WD | 3.6L V-6    | 7,270 (a8,h)   |
| Ram 1500 Reg Cab LB 2WD | 5.7L V-8    | 7,040 (a6,d)   |
| Ram 1500 Reg Cab LB 2WD | 5.7L V-8    | 9,090 (a6,h)   |
| Ram 1500 Reg Cab LB 2WD | 5.7L V-8    | 10,640 (a6,j)  |
| Ram 1500 Reg Cab LB 2WD | 5.7L V-8    | 8,470 (a8,d)   |
| Ram 1500 Reg Cab LB 2WD | 5.7L V-8    | 10,620 (a8,j)  |
| Ram 1500 Reg Cab LB 2WD | 3.0L V-6 TD | 8,240 (a8,h/j) |
| Ram 1500 Reg Cab LB 2WD | 3.0L V-6 TD | 9,210 (a8,j)*  |
| Ram 1500 Reg Cab LB 4WD | 3.6L V-6    | 4,580 (a8,d)   |
| Ram 1500 Reg Cab LB 4WD | 3.6L V-6    | 7,080 (a8,h)   |
| Ram 1500 Reg Cab LB 4WD | 5.7L V-8    | 8,860 (a6,h)   |
| Ram 1500 Reg Cab LB 4WD | 5.7L V-8    | 10,410 (a6,j)  |
| Ram 1500 Reg Cab LB 4WD | 5.7L V-8    | 8,260 (a8,d)   |
| Ram 1500 Reg Cab LB 4WD | 5.7L V-8    | 10,410 (a8,j)  |
| Ram 1500 Reg Cab LB 4WD | 3.0L V-6 TD | 8,030 (a8,h/j) |
| Ram 1500 Reg Cab LB 4WD | 3.0L V-6 TD | 9,030 (a8,j)*  |

\*GCWR 14,750 lbs.

## Ram 1500 Quad Cab

|                           |             |                |
|---------------------------|-------------|----------------|
| Ram 1500 Quad Cab 2WD     | 3.6L V-6    | 4,610 (a8,d)   |
| Ram 1500 Quad Cab 2WD     | 3.6L V-6    | 7,600 (a8,h)   |
| Ram 1500 Quad Cab 2WD     | 5.7L V-8    | 6,820 (a6,d)   |
| Ram 1500 Quad Cab 2WD     | 5.7L V-8    | 8,870 (a6,h)   |
| Ram 1500 Quad Cab 2WD     | 5.7L V-8    | 10,420 (a6,j)  |
| Ram 1500 Quad Cab 2WD     | 5.7L V-8    | 8,190 (a8,d)   |
| Ram 1500 Quad Cab 2WD     | 5.7L V-8    | 10,340 (a8,j)  |
| Ram 1500 Quad Cab 2WD     | 3.0L V-6 TD | 7,960 (a8,h/j) |
| Ram 1500 Quad Cab 2WD     | 3.0L V-6 TD | 8,960 (a8,j)*  |
| Ram 1500 Quad Cab 2WD HFE | 3.0L V-6 TD | 7,920 (a8,h)   |
| Ram 1500 Quad Cab 4WD     | 3.6L V-6    | 4,430 (a8,d)   |
| Ram 1500 Quad Cab 4WD     | 3.6L V-6    | 7,420 (a8,h)   |
| Ram 1500 Quad Cab 4WD     | 5.7L V-8    | 8,670 (a6,h)   |
| Ram 1500 Quad Cab 4WD     | 5.7L V-8    | 10,220 (a6,j)  |
| Ram 1500 Quad Cab 4WD     | 5.7L V-8    | 8,000 (a8,d)   |
| Ram 1500 Quad Cab 4WD     | 5.7L V-8    | 10,150 (a8,j)  |

|                       |             |                |
|-----------------------|-------------|----------------|
| Ram 1500 Quad Cab 4WD | 3.0L V-6 TD | 7,650 (a8,h/j) |
| Ram 1500 Quad Cab 4WD | 3.0L V-6 TD | 8,650 (a8,j)*  |

\*GCWR 14,750 lbs.

## Ram 1500 Crew Cab Shortbed

|                    |             |                |
|--------------------|-------------|----------------|
| Ram 1500 CC SB 2WD | 3.6L V-6    | 4,510 (a8,d)   |
| Ram 1500 CC SB 2WD | 3.6L V-6    | 7,510 (a8,h)   |
| Ram 1500 CC SB 2WD | 5.7L V-8    | 6,730 (a6,d)   |
| Ram 1500 CC SB 2WD | 5.7L V-8    | 8,780 (a6,h)   |
| Ram 1500 CC SB 2WD | 5.7L V-8    | 10,330 (a6,j)  |
| Ram 1500 CC SB 2WD | 5.7L V-8    | 8,070 (a8,d)   |
| Ram 1500 CC SB 2WD | 5.7L V-8    | 10,220 (a8,j)  |
| Ram 1500 CC SB 2WD | 3.0L V-6 TD | 7,860 (a8,h/j) |
| Ram 1500 CC SB 2WD | 3.0L V-6 TD | 8,860 (a8,j)*  |
| Ram 1500 CC SB 4WD | 3.6L V-6    | 4,210 (a8,d)   |
| Ram 1500 CC SB 4WD | 3.6L V-6    | 7,210 (a8,h/j) |
| Ram 1500 CC SB 4WD | 5.7L V-8    | 8,610 (a6,h)   |
| Ram 1500 CC SB 4WD | 5.7L V-8    | 10,160 (a6,j)  |
| Ram 1500 CC SB 4WD | 5.7L V-8    | 7,990 (a8,d)   |
| Ram 1500 CC SB 4WD | 5.7L V-8    | 10,140 (a8,j)  |
| Ram 1500 CC SB 4WD | 3.0L V-6 TD | 7,580 (a8,h/j) |
| Ram 1500 CC SB 4WD | 3.0L V-6 TD | 8,580 (a8,j)*  |

\*GCWR 14,750 lbs.

## Ram 1500 Crew Cab Standard Bed

|                 |             |                |
|-----------------|-------------|----------------|
| Ram 1500 CC 2WD | 5.7L V-8    | 6,710 (a6,d)   |
| Ram 1500 CC 2WD | 5.7L V-8    | 8,760 (a6,h)   |
| Ram 1500 CC 2WD | 5.7L V-8    | 10,310 (a6,j)  |
| Ram 1500 CC 2WD | 5.7L V-8    | 8,050 (a8,d)   |
| Ram 1500 CC 2WD | 5.7L V-8    | 10,200 (a8,j)  |
| Ram 1500 CC 4WD | 5.7L V-8    | 8,530 (a6,h)   |
| Ram 1500 CC 4WD | 5.7L V-8    | 10,080 (a6,j)  |
| Ram 1500 CC 4WD | 5.7L V-8    | 7,780 (a8,d)   |
| Ram 1500 CC 4WD | 5.7L V-8    | 9,830 (a8,j)   |
| Ram 1500 CC 4WD | 3.0L V-6 TD | 7,540 (a8,h/j) |
| Ram 1500 CC 4WD | 3.0L V-6 TD | 8,340 (a8,j)*  |

\*GCWR 14,550 lbs.

Ram 2500/3500 Bed Lengths: Shortbed 6'4"/Longbed 8'

## Ram 2500 Regular Cab Longbed

|                         |             |               |
|-------------------------|-------------|---------------|
| Ram 2500 Reg Cab LB 2WD | 5.7L V-8    | 11,890 (a6,i) |
| Ram 2500 Reg Cab LB 2WD | 5.7L V-8    | 13,890 (a6,k) |
| Ram 2500 Reg Cab LB 2WD | 6.4L V-8    | 13,320 (a6,i) |
| Ram 2500 Reg Cab LB 2WD | 6.4L V-8    | 16,320 (a6,k) |
| Ram 2500 Reg Cab LB 2WD | 6.7L I-6 TD | 16,890 (m6,g) |
| Ram 2500 Reg Cab LB 2WD | 6.7L I-6 TD | 17,980 (a6,g) |
| Ram 2500 Reg Cab LB 4WD | 5.7L V-8    | 11,510 (a6,i) |
| Ram 2500 Reg Cab LB 4WD | 5.7L V-8    | 13,510 (a6,k) |
| Ram 2500 Reg Cab LB 4WD | 6.4L V-8    | 12,930 (a6,i) |
| Ram 2500 Reg Cab LB 4WD | 6.4L V-8    | 15,930 (a6,k) |
| Ram 2500 Reg Cab LB 4WD | 6.7L I-6 TD | 16,450 (m6,g) |
| Ram 2500 Reg Cab LB 4WD | 6.7L I-6 TD | 17,540 (a6,g) |



**Ram 2500 Crew Cab Shortbed**

|                                 |             |               |
|---------------------------------|-------------|---------------|
| Ram 2500 CC SB 2WD              | 5.7L V-8    | 11,520 (a6,i) |
| Ram 2500 CC SB 2WD              | 5.7L V-8    | 13,520 (a6,k) |
| Ram 2500 CC SB 2WD              | 6.4L V-8    | 12,940 (a6,i) |
| Ram 2500 CC SB 2WD              | 6.4L V-8    | 15,940 (a6,k) |
| Ram 2500 CC SB 2WD              | 6.7L I-6 TD | 16,450 (m6,g) |
| Ram 2500 CC SB 2WD              | 6.7L I-6 TD | 17,510 (a6,g) |
| Ram 2500 CC SB 4WD              | 5.7L V-8    | 11,200 (a6,i) |
| Ram 2500 CC SB 4WD              | 5.7L V-8    | 13,190 (a6,k) |
| Ram 2500 CC SB 4WD              | 6.4L V-8    | 12,630 (a6,i) |
| Ram 2500 CC SB 4WD              | 6.4L V-8    | 15,630 (a6,k) |
| Ram 2500 CC SB 4WD              | 6.7L I-6 TD | 16,130 (m6,g) |
| Ram 2500 CC SB 4WD              | 6.7L I-6 TD | 17,200 (a6,g) |
| Ram 2500 CC SB 4WD, Power Wagon | 6.4L V-8    | 10,030 (a6,k) |

**Ram 2500 Crew Cab Longbed**

|                    |             |               |
|--------------------|-------------|---------------|
| Ram 2500 CC LB 2WD | 5.7L V-8    | 11,390 (a6,i) |
| Ram 2500 CC LB 2WD | 5.7L V-8    | 13,390 (a6,k) |
| Ram 2500 CC LB 2WD | 6.4L V-8    | 12,810 (a6,i) |
| Ram 2500 CC LB 2WD | 6.4L V-8    | 15,810 (a6,k) |
| Ram 2500 CC LB 2WD | 6.7L I-6 TD | 16,300 (m6,g) |
| Ram 2500 CC LB 2WD | 6.7L I-6 TD | 17,370 (a6,g) |
| Ram 2500 CC LB 4WD | 5.7L V-8    | 11,030 (a6,i) |
| Ram 2500 CC LB 4WD | 5.7L V-8    | 13,020 (a6,k) |
| Ram 2500 CC LB 4WD | 6.4L V-8    | 12,460 (a6,i) |
| Ram 2500 CC LB 4WD | 6.4L V-8    | 15,460 (a6,k) |
| Ram 2500 CC LB 4WD | 6.7L I-6 TD | 15,950 (m6,g) |
| Ram 2500 CC LB 4WD | 6.7L I-6 TD | 17,020 (a6,g) |

**Ram 2500 Mega Cab**

|                       |             |               |
|-----------------------|-------------|---------------|
| Ram 2500 Mega Cab 2WD | 5.7L V-8    | 11,040 (a6,i) |
| Ram 2500 Mega Cab 2WD | 5.7L V-8    | 13,040 (a6,k) |
| Ram 2500 Mega Cab 2WD | 6.4L V-8    | 12,520 (a6,i) |
| Ram 2500 Mega Cab 2WD | 6.4L V-8    | 15,520 (a6,k) |
| Ram 2500 Mega Cab 2WD | 6.7L I-6 TD | 16,100 (m6,g) |
| Ram 2500 Mega Cab 2WD | 6.7L I-6 TD | 17,170 (a6,g) |
| Ram 2500 Mega Cab 4WD | 5.7L V-8    | 10,780 (a6,i) |
| Ram 2500 Mega Cab 4WD | 5.7L V-8    | 12,780 (a6,k) |
| Ram 2500 Mega Cab 4WD | 6.4L V-8    | 12,240 (a6,i) |
| Ram 2500 Mega Cab 4WD | 6.4L V-8    | 15,240 (a6,k) |
| Ram 2500 Mega Cab 4WD | 6.7L I-6 TD | 14,770 (m6,g) |
| Ram 2500 Mega Cab 4WD | 6.7L I-6 TD | 15,440 (a6,g) |

**Ram 3500 Regular Cab Longbed**

|                             |             |                |
|-----------------------------|-------------|----------------|
| Ram 3500 Reg Cab LB SRW 2WD | 5.7L V-8    | 11,910 (a6,i)  |
| Ram 3500 Reg Cab LB SRW 2WD | 5.7L V-8    | 13,910 (a6,k)  |
| Ram 3500 Reg Cab LB SRW 2WD | 6.4L V-8    | 13,370 (a6,i)  |
| Ram 3500 Reg Cab LB SRW 2WD | 6.4L V-8    | 16,370 (a6,k)  |
| Ram 3500 Reg Cab LB SRW 2WD | 6.7L I-6 TD | 16,870 (m6,g)  |
| Ram 3500 Reg Cab LB SRW 2WD | 6.7L I-6 TD | 17,910 (a6,g)  |
| Ram 3500 Reg Cab LB SRW 2WD | 6.7L I-6 TD | 17,770 (a6,g)* |
| Ram 3500 Reg Cab LB SRW 4WD | 5.7L V-8    | 11,560 (a6,i)  |
| Ram 3500 Reg Cab LB SRW 4WD | 5.7L V-8    | 13,560 (a6,k)  |

|                             |             |                |
|-----------------------------|-------------|----------------|
| Ram 3500 Reg Cab LB SRW 4WD | 6.4L V-8    | 12,970 (a6,i)  |
| Ram 3500 Reg Cab LB SRW 4WD | 6.4L V-8    | 15,970 (a6,k)  |
| Ram 3500 Reg Cab LB SRW 4WD | 6.7L I-6 TD | 16,520 (m6,g)  |
| Ram 3500 Reg Cab LB SRW 4WD | 6.7L I-6 TD | 17,560 (a6,g)  |
| Ram 3500 Reg Cab LB SRW 4WD | 6.7L I-6 TD | 17,420 (a6,g)* |
| Ram 3500 Reg Cab LB DRW 2WD | 6.4L V-8    | 13,020 (a6,i)  |
| Ram 3500 Reg Cab LB DRW 2WD | 6.7L I-6 TD | 16,510 (m6,g)  |
| Ram 3500 Reg Cab LB DRW 2WD | 6.7L I-6 TD | 18,510 (m6,i)  |
| Ram 3500 Reg Cab LB DRW 2WD | 6.7L I-6 TD | 17,550 (a6,g)  |
| Ram 3500 Reg Cab LB DRW 2WD | 6.7L I-6 TD | 19,550 (a6,i)  |
| Ram 3500 Reg Cab LB DRW 2WD | 6.7L I-6 TD | 22,550 (a6,k)  |
| Ram 3500 Reg Cab LB DRW 2WD | 6.7L I-6 TD | 21,410 (a6,g)* |
| Ram 3500 Reg Cab LB DRW 2WD | 6.7L I-6 TD | 25,910 (a6,i)* |
| Ram 3500 Reg Cab LB DRW 2WD | 6.7L I-6 TD | 31,210 (a6,k)* |
| Ram 3500 Reg Cab LB DRW 4WD | 6.4L V-8    | 12,640 (a6,i)  |
| Ram 3500 Reg Cab LB DRW 4WD | 6.4L V-8    | 16,140 (a6,k)  |
| Ram 3500 Reg Cab LB DRW 4WD | 6.7L I-6 TD | 16,130 (m6,g)  |
| Ram 3500 Reg Cab LB DRW 4WD | 6.7L I-6 TD | 18,130 (m6,i)  |
| Ram 3500 Reg Cab LB DRW 4WD | 6.7L I-6 TD | 17,180 (a6,g)  |
| Ram 3500 Reg Cab LB DRW 4WD | 6.7L I-6 TD | 19,180 (a6,i)  |
| Ram 3500 Reg Cab LB DRW 4WD | 6.7L I-6 TD | 22,180 (a6,k)  |
| Ram 3500 Reg Cab LB DRW 4WD | 6.7L I-6 TD | 21,030 (a6,g)* |
| Ram 3500 Reg Cab LB DRW 4WD | 6.7L I-6 TD | 25,530 (a6,i)* |
| Ram 3500 Reg Cab LB DRW 4WD | 6.7L I-6 TD | 30,830 (a6,k)* |

**Ram 3500 Crew Cab Shortbed**

|                        |             |                |
|------------------------|-------------|----------------|
| Ram 3500 CC SB SRW 2WD | 5.7L V-8    | 11,520 (a6,i)  |
| Ram 3500 CC SB SRW 2WD | 5.7L V-8    | 13,520 (a6,k)  |
| Ram 3500 CC SB SRW 2WD | 6.4L V-8    | 12,970 (a6,i)  |
| Ram 3500 CC SB SRW 2WD | 6.4L V-8    | 15,970 (a6,k)  |
| Ram 3500 CC SB SRW 2WD | 6.7L I-6 TD | 16,450 (m6,g)  |
| Ram 3500 CC SB SRW 2WD | 6.7L I-6 TD | 17,490 (a6,g)  |
| Ram 3500 CC SB SRW 2WD | 6.7L I-6 TD | 17,350 (a6,g)* |
| Ram 3500 CC SB SRW 4WD | 5.7L V-8    | 11,200 (a6,i)  |
| Ram 3500 CC SB SRW 4WD | 5.7L V-8    | 13,200 (a6,k)  |
| Ram 3500 CC SB SRW 4WD | 6.4L V-8    | 12,640 (a6,i)  |
| Ram 3500 CC SB SRW 4WD | 6.4L V-8    | 15,640 (a6,k)  |
| Ram 3500 CC SB SRW 4WD | 6.7L I-6 TD | 16,160 (m6,g)  |
| Ram 3500 CC SB SRW 4WD | 6.7L I-6 TD | 17,200 (a6,g)  |
| Ram 3500 CC SB SRW 4WD | 6.7L I-6 TD | 17,050 (a6,g)* |

**Ram 3500 Crew Cab Longbed**

|                        |             |                |
|------------------------|-------------|----------------|
| Ram 3500 CC LB SRW 2WD | 5.7L V-8    | 11,410 (a6,i)  |
| Ram 3500 CC LB SRW 2WD | 5.7L V-8    | 13,410 (a6,k)  |
| Ram 3500 CC LB SRW 2WD | 6.4L V-8    | 12,830 (a6,i)  |
| Ram 3500 CC LB SRW 2WD | 6.4L V-8    | 15,830 (a6,k)  |
| Ram 3500 CC LB SRW 2WD | 6.7L I-6 TD | 16,320 (m6,g)  |
| Ram 3500 CC LB SRW 2WD | 6.7L I-6 TD | 17,360 (a6,g)  |
| Ram 3500 CC LB SRW 2WD | 6.7L I-6 TD | 17,210 (a6,g)* |
| Ram 3500 CC LB SRW 4WD | 5.7L V-8    | 11,020 (a6,i)  |
| Ram 3500 CC LB SRW 4WD | 5.7L V-8    | 13,020 (a6,k)  |
| Ram 3500 CC LB SRW 4WD | 6.4L V-8    | 12,470 (a6,i)  |
| Ram 3500 CC LB SRW 4WD | 6.4L V-8    | 15,470 (a6,k)  |
| Ram 3500 CC LB SRW 4WD | 6.7L I-6 TD | 15,960 (m6,g)  |

# 2018 TOW RATINGS

|                        |             |                |
|------------------------|-------------|----------------|
| Ram 3500 CC LB SRW 4WD | 6.7L I-6 TD | 17,010 (a6,g)  |
| Ram 3500 CC LB SRW 4WD | 6.7L I-6 TD | 16,860 (a6,g)* |
| Ram 3500 CC LB DRW 2WD | 6.4L V-8    | 12,450 (a6,i)  |
| Ram 3500 CC LB DRW 2WD | 6.4L V-8    | 15,950 (a6,k)  |
| Ram 3500 CC LB DRW 2WD | 6.7L I-6 TD | 15,960 (m6,g)  |
| Ram 3500 CC LB DRW 2WD | 6.7L I-6 TD | 17,960 (m6,i)  |
| Ram 3500 CC LB DRW 2WD | 6.7L I-6 TD | 17,000 (a6,g)  |
| Ram 3500 CC LB DRW 2WD | 6.7L I-6 TD | 19,000 (a6,i)  |
| Ram 3500 CC LB DRW 2WD | 6.7L I-6 TD | 22,000 (a6,k)  |
| Ram 3500 CC LB DRW 2WD | 6.7L I-6 TD | 20,860 (a6,g)* |
| Ram 3500 CC LB DRW 2WD | 6.7L I-6 TD | 25,360 (a6,i)* |
| Ram 3500 CC LB DRW 2WD | 6.7L I-6 TD | 30,660 (a6,k)* |
| Ram 3500 CC LB DRW 4WD | 6.4L V-8    | 12,100 (a6,i)  |
| Ram 3500 CC LB DRW 4WD | 6.4L V-8    | 15,600 (a6,k)  |
| Ram 3500 CC LB DRW 4WD | 6.7L I-6 TD | 15,620 (m6,g)  |
| Ram 3500 CC LB DRW 4WD | 6.7L I-6 TD | 17,620 (m6,i)  |
| Ram 3500 CC LB DRW 4WD | 6.7L I-6 TD | 16,660 (a6,g)  |
| Ram 3500 CC LB DRW 4WD | 6.7L I-6 TD | 18,660 (a6,i)  |
| Ram 3500 CC LB DRW 4WD | 6.7L I-6 TD | 21,660 (a6,k)  |
| Ram 3500 CC LB DRW 4WD | 6.7L I-6 TD | 20,520 (a6,g)* |
| Ram 3500 CC LB DRW 4WD | 6.7L I-6 TD | 25,020 (a6,i)* |
| Ram 3500 CC LB DRW 4WD | 6.7L I-6 TD | 30,320 (a6,k)* |

## Ram 3500 Mega Cab

|                           |             |                |
|---------------------------|-------------|----------------|
| Ram 3500 Mega Cab SRW 2WD | 5.7L V-8    | 11,210 (a6,i)  |
| Ram 3500 Mega Cab SRW 2WD | 5.7L V-8    | 13,210 (a6,k)  |
| Ram 3500 Mega Cab SRW 2WD | 6.4L V-8    | 12,650 (a6,i)  |
| Ram 3500 Mega Cab SRW 2WD | 6.4L V-8    | 15,650 (a6,k)  |
| Ram 3500 Mega Cab SRW 2WD | 6.7L I-6 TD | 16,100 (m6,g)  |
| Ram 3500 Mega Cab SRW 2WD | 6.7L I-6 TD | 17,140 (a6,g)  |
| Ram 3500 Mega Cab SRW 2WD | 6.7L I-6 TD | 16,990 (a6,g)* |
| Ram 3500 Mega Cab SRW 4WD | 5.7L V-8    | 10,880 (a6,i)  |
| Ram 3500 Mega Cab SRW 4WD | 5.7L V-8    | 12,880 (a6,k)  |
| Ram 3500 Mega Cab SRW 4WD | 6.4L V-8    | 12,320 (a6,i)  |
| Ram 3500 Mega Cab SRW 4WD | 6.4L V-8    | 15,320 (a6,k)  |
| Ram 3500 Mega Cab SRW 4WD | 6.7L I-6 TD | 15,710 (m6,g)  |
| Ram 3500 Mega Cab SRW 4WD | 6.7L I-6 TD | 16,750 (a6,g)  |
| Ram 3500 Mega Cab SRW 4WD | 6.7L I-6 TD | 16,600 (a6,g)* |
| Ram 3500 Mega Cab DRW 2WD | 6.4L V-8    | 12,200 (a6,i)  |
| Ram 3500 Mega Cab DRW 2WD | 6.4L V-8    | 15,700 (a6,k)  |
| Ram 3500 Mega Cab DRW 2WD | 6.7L I-6 TD | 15,710 (m6,g)  |
| Ram 3500 Mega Cab DRW 2WD | 6.7L I-6 TD | 17,710 (m6,i)  |
| Ram 3500 Mega Cab DRW 2WD | 6.7L I-6 TD | 16,750 (a6,g)  |
| Ram 3500 Mega Cab DRW 2WD | 6.7L I-6 TD | 18,750 (a6,i)  |
| Ram 3500 Mega Cab DRW 2WD | 6.7L I-6 TD | 21,750 (a6,k)  |
| Ram 3500 Mega Cab DRW 2WD | 6.7L I-6 TD | 20,600 (a6,g)* |
| Ram 3500 Mega Cab DRW 2WD | 6.7L I-6 TD | 25,100 (a6,i)* |
| Ram 3500 Mega Cab DRW 2WD | 6.7L I-6 TD | 30,400 (a6,k)* |
| Ram 3500 Mega Cab DRW 4WD | 6.4L V-8    | 11,970 (a6,i)  |
| Ram 3500 Mega Cab DRW 4WD | 6.4L V-8    | 15,470 (a6,k)  |
| Ram 3500 Mega Cab DRW 4WD | 6.7L I-6 TD | 15,400 (m6,g)  |
| Ram 3500 Mega Cab DRW 4WD | 6.7L I-6 TD | 17,400 (m6,i)  |
| Ram 3500 Mega Cab DRW 4WD | 6.7L I-6 TD | 16,440 (a6,g)  |

|                           |             |                |
|---------------------------|-------------|----------------|
| Ram 3500 Mega Cab DRW 4WD | 6.7L I-6 TD | 18,440 (a6,i)  |
| Ram 3500 Mega Cab DRW 4WD | 6.7L I-6 TD | 21,440 (a6,k)  |
| Ram 3500 Mega Cab DRW 4WD | 6.7L I-6 TD | 20,300 (a6,g)* |
| Ram 3500 Mega Cab DRW 4WD | 6.7L I-6 TD | 24,800 (a6,i)* |
| Ram 3500 Mega Cab DRW 4WD | 6.7L I-6 TD | 30,100 (a6,k)* |

\*HD Cummins

## FORD MOTOR COMPANY

|                                                                   |             |                |
|-------------------------------------------------------------------|-------------|----------------|
| EDGE, ESCAPE, EXPLORER, EXPEDITION, FLEX, FUSION, TRANSIT CONNECT |             |                |
| Edge FWD/AWD                                                      | 2.0L I-4 TC | 3,500 (t)      |
| Edge AWD                                                          | 2.7L V-6 TC | 2,000 (t)**    |
| Edge FWD/AWD                                                      | 3.5L V-6    | 3,500 (t)      |
| Escape FWD/4WD                                                    | 1.5L I-4 TC | 2,000 (t)      |
| Escape FWD/4WD                                                    | 2.0L I-4 TC | 3,500 (t)      |
| Explorer FWD                                                      | 2.3L I-4 TC | 2,000(t)***    |
| Explorer FWD/4WD                                                  | 2.3L I-4 TC | 3,000 (t)      |
| Explorer FWD/4WD                                                  | 3.5L V-6    | 2,000(t)***    |
| Explorer FWD/4WD                                                  | 3.5L V-6    | 5,000 (t)*     |
| Explorer FWD/4WD                                                  | 3.5L V-6 TC | 5,000 (t)*     |
| Expedition 2WD                                                    | 3.5L V-6 TC | 6,100 (c,f)*   |
| Expedition 2WD                                                    | 3.5L V-6 TC | 9,300 (i,t)*   |
| Expedition 4WD                                                    | 3.5L V-6 TC | 5,900 (f)*#    |
| Expedition 4WD                                                    | 3.5L V-6 TC | 6,100 (f)*##   |
| Expedition 4WD                                                    | 3.5L V-6 TC | 9,300 (i,t)*   |
| Expedition Max 2WD                                                | 3.5L V-6 TC | 6,300 (f)*     |
| Expedition Max 2WD                                                | 3.5L V-6 TC | 9,000 (i,t)*   |
| Expedition Max 4WD                                                | 3.5L V-6 TC | 6,000 (f)*     |
| Expedition Max 4WD                                                | 3.5L V-6 TC | 9,000 (i,t)*   |
| Flex FWD/AWD                                                      | 3.5L V-6    | 4,500 (t)****  |
| Flex AWD                                                          | 3.5L V-6 TC | 4,500 (t)      |
| Fusion FWD/AWD                                                    | 2.0L I-4 TC | 2,000 (a,t)*** |
| Transit Connect Van/Wagon                                         | 2.5L I-4    | 2,000 (a,t)    |

\*Maximum loaded trailer weight requires weight-distributing hitch.

\*\*Factory- or dealer-installed towing equipment not offered for this application.

\*\*\*Factory-installed towing equipment not offered for this application; available only as aftermarket accessory. Fusion Hybrid and Energi not rated to tow a trailer.

\*\*\*\*Requires weight-distributing hitch on FWD models.

#6CWR 12,100 lbs.

##6CWR 12,300 lbs.

## F-150 CONVENTIONAL/FIFTH-WHEEL TOWING

Ford F-150 Bed Lengths: Shortbed 5.5'/Standard 6.5'/Longbed 8'

### F-150 Regular Cab

|                      |             |                     |
|----------------------|-------------|---------------------|
| F-150 Reg Cab SB 2WD | 3.3L V-6    | 5,100/4,900 (h,t)   |
| F-150 Reg Cab SB 2WD | 3.3L V-6    | 7,700/7,500 (i,t)   |
| F-150 Reg Cab SB 2WD | 2.7L V-6 TC | 7,600/7,500 (c/f,t) |
| F-150 Reg Cab SB 2WD | 2.7L V-6 TC | 8,500/8,400 (i,t)   |
| F-150 Reg Cab SB 2WD | 5.0L V-8    | 8,300/8,200 (c/f,t) |
| F-150 Reg Cab SB 2WD | 5.0L V-8    | 9,100/9,000 (h,t)   |
| F-150 Reg Cab SB 4WD | 3.3L V-6    | 5,000/4,900 (h,t)   |
| F-150 Reg Cab SB 4WD | 3.3L V-6    | 7,500/7,400 (i,t)   |
| F-150 Reg Cab SB 4WD | 2.7L V-6 TC | 7,600/7,500 (h,t)   |
| F-150 Reg Cab SB 4WD | 2.7L V-6 TC | 8,400/8,300 (i,t)   |
| F-150 Reg Cab SB 4WD | 5.0L V-8    | 8,300/8,200 (f/h,t) |



|                      |             |                        |
|----------------------|-------------|------------------------|
| F-150 Reg Cab SB 4WD | 5.0L V-8    | 9,700/9,300 (i,t)      |
| F-150 Reg Cab LB 2WD | 3.3L V-6    | 5,000/4,900 (h,t)      |
| F-150 Reg Cab LB 2WD | 3.3L V-6    | 7,600/7,500 (i,t)      |
| F-150 Reg Cab LB 2WD | 2.7L V-6 TC | 7,600/7,500 (c/f,t)    |
| F-150 Reg Cab LB 2WD | 2.7L V-6 TC | 8,500/8,400 (i,t)      |
| F-150 Reg Cab LB 2WD | 2.7L V-6 TC | 8,500/8,400 (i,p,t)**  |
| F-150 Reg Cab LB 2WD | 5.0L V-8    | 9,100/9,000 (c/f,t)    |
| F-150 Reg Cab LB 2WD | 5.0L V-8    | 10,100/10,000 (h,t)    |
| F-150 Reg Cab LB 2WD | 5.0L V-8    | 11,100/11,000 (i,p,t)* |
| F-150 Reg Cab LB 2WD | 3.5L V-6 TC | 10,700/10,600 (c/h,t)  |
| F-150 Reg Cab LB 2WD | 3.5L V-6 TC | 12,100/12,100 (h,t)    |
| F-150 Reg Cab LB 2WD | 3.5L V-6 TC | 12,100/12,000 (i,p,t)* |
| F-150 Reg Cab LB 4WD | 3.3L V-6    | 7,400/7,300 (i,t)      |
| F-150 Reg Cab LB 4WD | 2.7L V-6 TC | 7,600/7,500 (h,t)      |
| F-150 Reg Cab LB 4WD | 2.7L V-6 TC | 8,300/8,200 (i,t)      |
| F-150 Reg Cab LB 4WD | 2.7L V-6 TC | 9,000/8,900 (i,p,t)    |
| F-150 Reg Cab LB 4WD | 5.0L V-8    | 9,100/9,000 (f/h,t)    |
| F-150 Reg Cab LB 4WD | 5.0L V-8    | 11,100/11,000 (i,t)    |
| F-150 Reg Cab LB 4WD | 5.0L V-8    | 11,000/10,900 (i,p,t)* |
| F-150 Reg Cab LB 4WD | 3.5L V-6 TC | 10,700/10,600 (f/h,t)  |
| F-150 Reg Cab LB 4WD | 3.5L V-6 TC | 12,000/11,900 (h,t)    |
| F-150 Reg Cab LB 4WD | 3.5L V-6 TC | 11,900/11,800 (i,p,t)* |

\*Includes 17- and/or 18" wheels/tires. Higher of the two ratings shown, where applicable.

\*\*6CWR 13,300 lbs.

#### F-150 SuperCab

|                                   |             |                        |
|-----------------------------------|-------------|------------------------|
| F-150 SuperCab Std Bed 2WD        | 3.3L V-6    | 5,000/4,900 (h,t)      |
| F-150 SuperCab Std Bed 2WD        | 3.3L V-6    | 7,400/7,300 (i,t)      |
| F-150 SuperCab Std Bed 2WD        | 2.7L V-6 TC | 7,700/7,600 (c/f,t)    |
| F-150 SuperCab Std Bed 2WD        | 2.7L V-6 TC | 8,400/8,200 (i,t)      |
| F-150 SuperCab Std Bed 2WD        | 2.7L V-6 TC | 8,300/8,200 (i,p,t)    |
| F-150 SuperCab Std Bed 2WD        | 5.0L V-8    | 9,200/9,100 (c/f,t)    |
| F-150 SuperCab Std Bed 2WD        | 5.0L V-8    | 10,200/10,100 (h,t)    |
| F-150 SuperCab Std Bed 2WD        | 3.5L V-6 TC | 10,700/10,600 (c/h,t)  |
| F-150 SuperCab Std Bed 2WD        | 3.5L V-6 TC | 12,000/10,800 (h,t)    |
| F-150 SuperCab Std Bed 4WD        | 3.3L V-6    | 7,400/7,300 (i,t)      |
| F-150 SuperCab Std Bed 4WD        | 2.7L V-6 TC | 7,600/7,400 (h,t)      |
| F-150 SuperCab Std Bed 4WD        | 2.7L V-6 TC | 8,100/7,900 (i,t)      |
| F-150 SuperCab Std Bed 4WD        | 2.7L V-6 TC | 9,000/8,900 (i,p,t)    |
| F-150 SuperCab Std Bed 4WD        | 5.0L V-8    | 9,100/9,000 (f/h,t)    |
| F-150 SuperCab Std Bed 4WD        | 5.0L V-8    | 11,300/11,000 (i,t)    |
| F-150 SuperCab Std Bed 4WD        | 3.5L V-6 TC | 10,700/10,600 (f/h,t)  |
| F-150 SuperCab Std Bed 4WD        | 3.5L V-6 TC | 11,800/10,700 (h,t)    |
| F-150 SuperCab Std Bed 4WD Raptor | 3.5L V-6 TC | 6,000 (k)              |
| F-150 SuperCab LB 2WD             | 2.7L V-6 TC | 7,500/7,400 (c/f,t)    |
| F-150 SuperCab LB 2WD             | 2.7L V-6 TC | 8,200/7,900 (i,t)      |
| F-150 SuperCab LB 2WD             | 2.7L V-6 TC | 9,000/8,900 (i,p,t)    |
| F-150 SuperCab LB 2WD             | 5.0L V-8    | 9,200/9,100 (c/f,t)    |
| F-150 SuperCab LB 2WD             | 5.0L V-8    | 10,200/10,100 (h,t)    |
| F-150 SuperCab LB 2WD             | 5.0L V-8    | 11,000/10,900 (i,p,t)* |
| F-150 SuperCab LB 2WD             | 3.5L V-6 TC | 10,700/10,600 (c/h,t)  |
| F-150 SuperCab LB 2WD             | 3.5L V-6 TC | 11,900/11,800 (h,t)    |
| F-150 SuperCab LB 2WD             | 3.5L V-6 TC | 11,800/11,700 (i,p,t)* |

|                       |             |                        |
|-----------------------|-------------|------------------------|
| F-150 SuperCab LB 4WD | 5.0L V-8    | 9,000/8,900 (f,t)      |
| F-150 SuperCab LB 4WD | 5.0L V-8    | 9,100/9,000 (h,t)      |
| F-150 SuperCab LB 4WD | 5.0L V-8    | 10,700/10,600 (i,p,t)* |
| F-150 SuperCab LB 4WD | 5.0L V-8    | 11,200/10,200 (i,t)    |
| F-150 SuperCab LB 4WD | 3.5L V-6 TC | 10,700/10,100 (f/h,t)  |
| F-150 SuperCab LB 4WD | 3.5L V-6 TC | 11,600/10,100 (h,t)    |
| F-150 SuperCab LB 4WD | 3.5L V-6 TC | 11,600/11,500 (i,p,t)* |

#### F-150 SuperCrew

|                                |             |                        |
|--------------------------------|-------------|------------------------|
| F-150 SuperCrew SB 2WD         | 3.3L V-6    | 5,000/4,900 (h,t)      |
| F-150 SuperCrew SB 2WD         | 3.3L V-6    | 7,400/7,300 (i,t)      |
| F-150 SuperCrew SB 2WD         | 2.7L V-6 TC | 7,700/7,600 (c/f,t)    |
| F-150 SuperCrew SB 2WD         | 2.7L V-6 TC | 8,300/7,700 (i,t)      |
| F-150 SuperCrew SB 2WD         | 2.7L V-6 TC | 8,200/8,100 (i,p,t)    |
| F-150 SuperCrew SB 2WD         | 5.0L V-8    | 9,100/9,000 (c/f,t)    |
| F-150 SuperCrew SB 2WD         | 5.0L V-8    | 10,100/10,000 (h,t)    |
| F-150 SuperCrew SB 2WD         | 3.5L V-6 TC | 10,600/10,200 (c,t)    |
| F-150 SuperCrew SB 2WD         | 3.5L V-6 TC | 12,700/10,200 (h,t)**  |
| F-150 SuperCrew SB 2WD Limited | 3.5L V-6 TC | 10,400/8,300 (c,t)     |
| F-150 SuperCrew SB 2WD Limited | 3.5L V-6 TC | 11,200/8,300 (h,t)     |
| F-150 SuperCrew SB 4WD         | 3.3L V-6    | 7,400/7,300 (i,t)      |
| F-150 SuperCrew SB 4WD         | 2.7L V-6 TC | 7,600/7,500 (h,t)      |
| F-150 SuperCrew SB 4WD         | 2.7L V-6 TC | 8,000/7,500 (i,t)      |
| F-150 SuperCrew SB 4WD         | 2.7L V-6 TC | 9,000/8,900 (i,p,t)    |
| F-150 SuperCrew SB 4WD         | 5.0L V-8    | 9,000/8,900 (f,t)      |
| F-150 SuperCrew SB 4WD         | 5.0L V-8    | 9,100/9,000 (h,t)      |
| F-150 SuperCrew SB 4WD         | 5.0L V-8    | 10,900/10,600 (i,t)    |
| F-150 SuperCrew SB 4WD         | 3.5L V-6 TC | 10,700/10,200 (f/h,t)  |
| F-150 SuperCrew SB 4WD         | 3.5L V-6 TC | 12,700/10,200 (h,t)**  |
| F-150 SuperCrew SB 4WD Limited | 3.5L V-6 TC | 10,400/6,500 (f,t)     |
| F-150 SuperCrew SB 4WD Limited | 3.5L V-6 TC | 10,900/6,500 (h,t)     |
| F-150 SuperCrew SB 4WD Raptor  | 3.5L V-6 TC | 8,000 (k)              |
| F-150 SuperCrew Std Bed 2WD    | 2.7L V-6 TC | 7,600/7,500 (c/f,t)    |
| F-150 SuperCrew Std Bed 2WD    | 2.7L V-6 TC | 8,200/8,100 (i,t)      |
| F-150 SuperCrew Std Bed 2WD    | 2.7L V-6 TC | 9,000/8,900 (i,p,t)    |
| F-150 SuperCrew Std Bed 2WD    | 5.0L V-8    | 9,100/9,000 (c/f,t)    |
| F-150 SuperCrew Std Bed 2WD    | 5.0L V-8    | 10,100/10,000 (h,t)    |
| F-150 SuperCrew Std Bed 2WD    | 5.0L V-8    | 10,900/10,800 (i,p,t)* |
| F-150 SuperCrew Std Bed 2WD    | 3.5L V-6 TC | 10,700/10,600 (c/h,t)  |
| F-150 SuperCrew Std Bed 2WD    | 3.5L V-6 TC | 13,200/11,500 (h,t)**  |
| F-150 SuperCrew Std Bed 2WD    | 3.5L V-6 TC | 11,800/11,700 (i,p,t)* |
| F-150 SuperCrew Std Bed 4WD    | 5.0L V-8    | 9,100/8,900 (f,t)      |
| F-150 SuperCrew Std Bed 4WD    | 5.0L V-8    | 9,100/9,000 (h,t)      |
| F-150 SuperCrew Std Bed 4WD    | 5.0L V-8    | 10,600/10,500 (i,p,t)* |
| F-150 SuperCrew Std Bed 4WD    | 5.0L V-8    | 11,600/10,700 (i,t)    |
| F-150 SuperCrew Std Bed 4WD    | 3.5L V-6 TC | 10,700/10,300 (f/h,t)  |
| F-150 SuperCrew Std Bed 4WD    | 3.5L V-6 TC | 13,000/10,300 (h,t)**  |
| F-150 SuperCrew Std Bed 4WD    | 3.5L V-6 TC | 11,500/11,400 (i,p,t)* |

\*Includes 17- and/or 18" wheels/tires. Higher of the two ratings shown, where applicable.

\*\*Requires 20" tires and wheels

SuperCrew shortbed trucks will accept a fifth-wheel hitch, but current fifth-wheel designs are not compatible with this model. Fifth-wheel towing requires trailer tow package or max trailer tow package. F-150 ratings may vary slightly depending on wheel and tire package, GCWR and other factors. Certain powertrain/axle combinations may not be available in all states. Consult Ford's 2018 RV & Trailer Towing Guide or dealer for details.

**F-250 SRW CONVENTIONAL TOWING**
**WEIGHT-CARRYING/WEIGHT-DISTRIBUTING**

Ford F-250/F-350/F-450 Bed Lengths: Shortbed 6.75'/Longbed 8'

**F-250 Regular Cab**

|                      |             |                      |
|----------------------|-------------|----------------------|
| F-250 Reg Cab LB 2WD | 6.2L V-8    | 13,000/13,300 (i)    |
| F-250 Reg Cab LB 2WD | 6.2L V-8    | 13,000/14,000 (l)    |
| F-250 Reg Cab LB 2WD | 6.7L V-8 TD | 14,000/15,000 (f/h)* |
| F-250 Reg Cab LB 4WD | 6.2L V-8    | 12,900 (i)           |
| F-250 Reg Cab LB 4WD | 6.2L V-8    | 15,000 (l)           |
| F-250 Reg Cab LB 4WD | 6.7L V-8 TD | 14,000/15,000 (f/h)* |

**F-250 SuperCab**

|                       |             |                                  |
|-----------------------|-------------|----------------------------------|
| F-250 SuperCab SB 2WD | 6.2L V-8    | 13,000 (i)                       |
| F-250 SuperCab SB 2WD | 6.2L V-8    | 13,000/14,000 (l)                |
| F-250 SuperCab SB 2WD | 6.7L V-8 TD | 14,000/15,000 (f/h)*             |
| F-250 SuperCab SB 4WD | 6.2L V-8    | 12,600 (i)                       |
| F-250 SuperCab SB 4WD | 6.2L V-8    | 15,000 (l)                       |
| F-250 SuperCab SB 4WD | 6.7L V-8 TD | 14,000/14,800 (f/h) <sup>5</sup> |
| F-250 SuperCab SB 4WD | 6.7L V-8 TD | 14,000/15,000 (f/h)*             |
| F-250 SuperCab LB 2WD | 6.2L V-8    | 12,900 (i)                       |
| F-250 SuperCab LB 2WD | 6.2L V-8    | 14,000/15,000 (l)                |
| F-250 SuperCab LB 2WD | 6.7L V-8 TD | 15,000 (f/h)*                    |
| F-250 SuperCab LB 4WD | 6.2L V-8    | 12,500 (i)                       |
| F-250 SuperCab LB 4WD | 6.2L V-8    | 15,000 (l)                       |
| F-250 SuperCab LB 4WD | 6.7L V-8 TD | 14,200 (f/h) <sup>4</sup>        |
| F-250 SuperCab LB 4WD | 6.7L V-8 TD | 14,900 (f/h) <sup>6</sup>        |
| F-250 SuperCab LB 4WD | 6.7L V-8 TD | 15,000 (f/h,t) <sup>7</sup>      |

**F-250 Crew Cab**

|                 |             |                             |
|-----------------|-------------|-----------------------------|
| F-250 CC SB 2WD | 6.2L V-8    | 12,900 (i)                  |
| F-250 CC SB 2WD | 6.2L V-8    | 14,000/15,000 (l)           |
| F-250 CC SB 2WD | 6.7L V-8 TD | 15,000 (f/h)*               |
| F-250 CC SB 4WD | 6.2L V-8    | 12,500 (i)                  |
| F-250 CC SB 4WD | 6.2L V-8    | 15,000 (l)                  |
| F-250 CC SB 4WD | 6.7L V-8 TD | 14,100 (f/h) <sup>3</sup>   |
| F-250 CC SB 4WD | 6.7L V-8 TD | 14,700 (f/h) <sup>5</sup>   |
| F-250 CC SB 4WD | 6.7L V-8 TD | 15,000 (f/h,t) <sup>8</sup> |
| F-250 CC LB 2WD | 6.2L V-8    | 12,700 (i)                  |
| F-250 CC LB 2WD | 6.2L V-8    | 14,000/15,000 (l)           |
| F-250 CC LB 2WD | 6.7L V-8 TD | 15,000 (f/h)                |
| F-250 CC LB 2WD | 6.7L V-8 TD | 18,000 (f/h,t) <sup>8</sup> |
| F-250 CC LB 4WD | 6.2L V-8    | 12,300 (i)                  |
| F-250 CC LB 4WD | 6.2L V-8    | 14,800 (l)                  |
| F-250 CC LB 4WD | 6.7L V-8 TD | 12,500 (f/h) <sup>1</sup>   |
| F-250 CC LB 4WD | 6.7L V-8 TD | 13,200 (f/h) <sup>2</sup>   |
| F-250 CC LB 4WD | 6.7L V-8 TD | 17,500 (f/h,t)              |

\*May require tow package depending on GCWR selected. Consult Ford's 2018 RV & Trailer Towing Guide or dealer for details.

GCWR exceptions (lbs.): <sup>1</sup>20,600. <sup>2</sup>21,300. <sup>3</sup>21,900. <sup>4</sup>22,000. <sup>5</sup>22,500. <sup>6</sup>22,700. <sup>7</sup>25,200. <sup>8</sup>25,700.

**F-250 SRW FIFTH-WHEEL TOWING**
**F-250 Regular Cab**

|                      |          |            |
|----------------------|----------|------------|
| F-250 Reg Cab LB 2WD | 6.2L V-8 | 13,200 (i) |
| F-250 Reg Cab LB 2WD | 6.2L V-8 | 15,700 (l) |

|                      |             |                |
|----------------------|-------------|----------------|
| F-250 Reg Cab LB 2WD | 6.7L V-8 TD | 16,400 (f/h)   |
| F-250 Reg Cab LB 2WD | 6.7L V-8 TD | 18,000 (f/h,t) |
| F-250 Reg Cab LB 4WD | 6.2L V-8    | 12,800 (i)     |
| F-250 Reg Cab LB 4WD | 6.2L V-8    | 15,300 (l)     |
| F-250 Reg Cab LB 4WD | 6.7L V-8 TD | 16,000 (f/h)   |
| F-250 Reg Cab LB 4WD | 6.7L V-8 TD | 16,400 (f/h,t) |

**F-250 SuperCab**

|                       |             |                             |
|-----------------------|-------------|-----------------------------|
| F-250 SuperCab SB 2WD | 6.2L V-8    | 13,000 (i)                  |
| F-250 SuperCab SB 2WD | 6.2L V-8    | 15,500 (l)                  |
| F-250 SuperCab SB 2WD | 6.7L V-8 TD | 16,200 (f/h)                |
| F-250 SuperCab SB 2WD | 6.7L V-8 TD | 17,300 (f/h,t)              |
| F-250 SuperCab SB 4WD | 6.2L V-8    | 12,600 (i)                  |
| F-250 SuperCab SB 4WD | 6.2L V-8    | 15,100 (l)                  |
| F-250 SuperCab SB 4WD | 6.7L V-8 TD | 14,700 (f/h,t)              |
| F-250 SuperCab SB 4WD | 6.7L V-8 TD | 14,800 (f/h)                |
| F-250 SuperCab SB 4WD | 6.7L V-8 TD | 15,400 (f/h) <sup>2</sup>   |
| F-250 SuperCab LB 2WD | 6.2L V-8    | 12,900 (i)                  |
| F-250 SuperCab LB 2WD | 6.2L V-8    | 15,400 (l)                  |
| F-250 SuperCab LB 2WD | 6.7L V-8 TD | 16,000 (f/h)                |
| F-250 SuperCab LB 2WD | 6.7L V-8 TD | 16,400 (f/h,t)              |
| F-250 SuperCab LB 4WD | 6.2L V-8    | 12,500 (i)                  |
| F-250 SuperCab LB 4WD | 6.2L V-8    | 15,000 (l)                  |
| F-250 SuperCab LB 4WD | 6.7L V-8 TD | 13,900 (f/h,t) <sup>4</sup> |
| F-250 SuperCab LB 4WD | 6.7L V-8 TD | 14,000 (f/h)                |
| F-250 SuperCab LB 4WD | 6.7L V-8 TD | 14,700 (f/h) <sup>6</sup>   |

**F-250 Crew Cab**

|                 |             |                             |
|-----------------|-------------|-----------------------------|
| F-250 CC SB 2WD | 6.2L V-8    | 12,900 (i)                  |
| F-250 CC SB 2WD | 6.2L V-8    | 15,400 (l)                  |
| F-250 CC SB 2WD | 6.7L V-8 TD | 16,000 (f/h)                |
| F-250 CC SB 2WD | 6.7L V-8 TD | 16,500 (f/h,t)              |
| F-250 CC SB 4WD | 6.2L V-8    | 12,500 (i)                  |
| F-250 CC SB 4WD | 6.2L V-8    | 15,000 (l)                  |
| F-250 CC SB 4WD | 6.7L V-8 TD | 14,000 (f/h,t) <sup>2</sup> |
| F-250 CC SB 4WD | 6.7L V-8 TD | 14,100 (f/h)                |
| F-250 CC SB 4WD | 6.7L V-8 TD | 14,700 (f/h) <sup>6</sup>   |
| F-250 CC LB 2WD | 6.2L V-8    | 12,600 (i)                  |
| F-250 CC LB 2WD | 6.2L V-8    | 15,100 (l)                  |
| F-250 CC LB 2WD | 6.7L V-8 TD | 15,000 (f/h)                |
| F-250 CC LB 2WD | 6.7L V-8 TD | 15,000 (f/h,t) <sup>2</sup> |
| F-250 CC LB 2WD | 6.7L V-8 TD | 15,700 (f/h) <sup>8</sup>   |
| F-250 CC LB 4WD | 6.2L V-8    | 12,200 (i)                  |
| F-250 CC LB 4WD | 6.2L V-8    | 14,700 (l)                  |
| F-250 CC LB 4WD | 6.7L V-8 TD | 12,200 (f/h)                |
| F-250 CC LB 4WD | 6.7L V-8 TD | 12,200 (f/h,t) <sup>1</sup> |
| F-250 CC LB 4WD | 6.7L V-8 TD | 12,900 (f/h) <sup>2</sup>   |

GCWR exceptions (lbs.): <sup>1</sup>20,900. <sup>2</sup>21,300. <sup>3</sup>22,200. <sup>4</sup>22,400. <sup>5</sup>22,500. <sup>6</sup>22,700. <sup>7</sup>23,100. <sup>8</sup>23,500.

**F-350 SRW CONVENTIONAL TOWING**
**WEIGHT-CARRYING/WEIGHT-DISTRIBUTING**
**F-350 Regular Cab**

|                   |          |                   |
|-------------------|----------|-------------------|
| F-350 Reg Cab 2WD | 6.2L V-8 | 13,000/13,100 (i) |
| F-350 Reg Cab 2WD | 6.2L V-8 | 13,000/14,000 (l) |



|                   |             |                     |
|-------------------|-------------|---------------------|
| F-350 Reg Cab 2WD | 6.7L V-8 TD | 14,000/15,000 (f/h) |
| F-350 Reg Cab 4WD | 6.2L V-8    | 12,600 (i)          |
| F-350 Reg Cab 4WD | 6.2L V-8    | 15,000 (i)          |
| F-350 Reg Cab 4WD | 6.7L V-8 TD | 14,000/15,000 (f/h) |

#### F-350 SuperCab

|                       |             |                                  |
|-----------------------|-------------|----------------------------------|
| F-350 SuperCab SB 2WD | 6.2L V-8    | 12,800 (i)                       |
| F-350 SuperCab SB 2WD | 6.2L V-8    | 13,000/14,000 (i)                |
| F-350 SuperCab SB 2WD | 6.7L V-8 TD | 14,000/15,000 (f/h)              |
| F-350 SuperCab SB 4WD | 6.2L V-8    | 12,400 (i)                       |
| F-350 SuperCab SB 4WD | 6.2L V-8    | 15,000 (i)                       |
| F-350 SuperCab SB 4WD | 6.7L V-8 TD | 14,000/14,700 (f/h)              |
| F-350 SuperCab SB 4WD | 6.7L V-8 TD | 14,000/15,000 (f/h) <sup>7</sup> |
| F-350 SuperCab LB 2WD | 6.2L V-8    | 12,700 (i)                       |
| F-350 SuperCab LB 2WD | 6.2L V-8    | 15,000 (i)                       |
| F-350 SuperCab LB 2WD | 6.7L V-8 TD | 15,000 (f/h)                     |
| F-350 SuperCab LB 4WD | 6.2L V-8    | 12,300 (i)                       |
| F-350 SuperCab LB 4WD | 6.2L V-8    | 15,000 (i)                       |
| F-350 SuperCab LB 4WD | 6.7L V-8 TD | 14,000 (f/h)                     |
| F-350 SuperCab LB 4WD | 6.7L V-8 TD | 15,000 (f/h) <sup>7</sup>        |

#### F-350 Crew Cab

|                 |             |                           |
|-----------------|-------------|---------------------------|
| F-350 CC SB 2WD | 6.2L V-8    | 12,700 (i)                |
| F-350 CC SB 2WD | 6.2L V-8    | 15,000 (i)                |
| F-350 CC SB 2WD | 6.7L V-8 TD | 15,000 (f/h)              |
| F-350 CC SB 4WD | 6.2L V-8    | 12,300 (i)                |
| F-350 CC SB 4WD | 6.2L V-8    | 15,000 (i)                |
| F-350 CC SB 4WD | 6.7L V-8 TD | 13,600 (f/h) <sup>2</sup> |
| F-350 CC SB 4WD | 6.7L V-8 TD | 15,000 (f/h)              |
| F-350 CC LB 2WD | 6.2L V-8    | 12,500 (i)                |
| F-350 CC LB 2WD | 6.2L V-8    | 15,000 (i)                |
| F-350 CC LB 2WD | 6.7L V-8 TD | 14,800 (f/h) <sup>3</sup> |
| F-350 CC LB 2WD | 6.7L V-8 TD | 18,000 (f/h)              |
| F-350 CC LB 4WD | 6.2L V-8    | 12,000 (i)                |
| F-350 CC LB 4WD | 6.2L V-8    | 15,000 (i)                |
| F-350 CC LB 4WD | 6.7L V-8 TD | 12,000 (f/h) <sup>1</sup> |
| F-350 CC LB 4WD | 6.7L V-8 TD | 18,000 (f/h)              |

GCWR exceptions (lbs.): <sup>1</sup>20,200. <sup>2</sup>21,600. <sup>3</sup>22,600. <sup>4</sup>28,200. <sup>5</sup>28,400. <sup>6</sup>28,600. <sup>7</sup>28,700

#### F-350 SRW FIFTH-WHEEL TOWING

##### F-350 Regular Cab

|                   |             |              |
|-------------------|-------------|--------------|
| F-350 Reg Cab 2WD | 6.2L V-8    | 13,000 (i)   |
| F-350 Reg Cab 2WD | 6.2L V-8    | 16,500 (i)   |
| F-350 Reg Cab 2WD | 6.7L V-8 TD | 18,000 (f/h) |
| F-350 Reg Cab 4WD | 6.2L V-8    | 12,600 (i)   |
| F-350 Reg Cab 4WD | 6.2L V-8    | 16,100 (i)   |
| F-350 Reg Cab 4WD | 6.7L V-8 TD | 15,400 (f/h) |

##### F-350 SuperCab

|                       |             |              |
|-----------------------|-------------|--------------|
| F-350 SuperCab SB 2WD | 6.2L V-8    | 12,800 (i)   |
| F-350 SuperCab SB 2WD | 6.2L V-8    | 16,300 (i)   |
| F-350 SuperCab SB 2WD | 6.7L V-8 TD | 17,500 (f/h) |
| F-350 SuperCab SB 4WD | 6.2L V-8    | 12,400 (i)   |

|                       |             |                           |
|-----------------------|-------------|---------------------------|
| F-350 SuperCab SB 4WD | 6.2L V-8    | 15,900 (i)                |
| F-350 SuperCab SB 4WD | 6.7L V-8 TD | 14,700 (f/h) <sup>4</sup> |
| F-350 SuperCab LB 2WD | 6.2L V-8    | 12,700 (i)                |
| F-350 SuperCab LB 2WD | 6.2L V-8    | 16,200 (i)                |
| F-350 SuperCab LB 2WD | 6.7L V-8 TD | 16,600 (f/h)              |
| F-350 SuperCab LB 4WD | 6.2L V-8    | 12,300 (i)                |
| F-350 SuperCab LB 4WD | 6.2L V-8    | 15,800 (i)                |
| F-350 SuperCab LB 4WD | 6.7L V-8 TD | 13,900 (f/h) <sup>3</sup> |

#### F-350 Crew Cab

|                 |             |                            |
|-----------------|-------------|----------------------------|
| F-350 CC SB 2WD | 6.2L V-8    | 12,600 (i)                 |
| F-350 CC SB 2WD | 6.2L V-8    | 16,100 (i)                 |
| F-350 CC SB 2WD | 6.7L V-8 TD | 16,300 (f/h)               |
| F-350 CC SB 2WD | 6.7L V-8 TD | 18,000 (f/h) <sup>6*</sup> |
| F-350 CC SB 4WD | 6.2L V-8    | 12,200 (i)                 |
| F-350 CC SB 4WD | 6.2L V-8    | 15,700 (i)                 |
| F-350 CC SB 4WD | 6.7L V-8 TD | 13,600 (f/h) <sup>2</sup>  |
| F-350 CC SB 4WD | 6.7L V-8 TD | 18,000 (f/h) <sup>8</sup>  |
| F-350 CC LB 2WD | 6.2L V-8    | 12,400 (i)                 |
| F-350 CC LB 2WD | 6.2L V-8    | 15,900 (i)                 |
| F-350 CC LB 2WD | 6.7L V-8 TD | 14,800 (f/h) <sup>5</sup>  |
| F-350 CC LB 2WD | 6.7L V-8 TD | 18,000 (f/h) <sup>7*</sup> |
| F-350 CC LB 4WD | 6.2L V-8    | 12,000 (i)                 |
| F-350 CC LB 4WD | 6.2L V-8    | 15,500 (i)                 |
| F-350 CC LB 4WD | 6.7L V-8 TD | 12,000 (f/h) <sup>1</sup>  |
| F-350 CC LB 4WD | 6.7L V-8 TD | 18,000 (f/h) <sup>6*</sup> |

GCWR exceptions (lbs.): <sup>1</sup>20,200. <sup>2</sup>21,600. <sup>3</sup>21,900. <sup>4</sup>22,500. <sup>5</sup>22,600. <sup>6</sup>28,200.

<sup>7</sup>28,400. <sup>8</sup>28,600.

\*17" tires

#### F-350/F-450 DRW CONVENTIONAL TOWING WEIGHT-CARRYING/WEIGHT-DISTRIBUTING

##### F-350 Regular Cab

|                       |             |                     |
|-----------------------|-------------|---------------------|
| F-350 Reg Cab DRW 2WD | 6.2L V-8    | 13,200 (i)          |
| F-350 Reg Cab DRW 2WD | 6.2L V-8    | 16,700 (i)          |
| F-350 Reg Cab DRW 2WD | 6.7L V-8 TD | 18,000/21,000 (h/k) |
| F-350 Reg Cab DRW 4WD | 6.2L V-8    | 12,700 (i)          |
| F-350 Reg Cab DRW 4WD | 6.2L V-8    | 16,200 (i)          |
| F-350 Reg Cab DRW 4WD | 6.7L V-8 TD | 18,000/20,000 (h/k) |

##### F-350 SuperCab

|                           |             |                     |
|---------------------------|-------------|---------------------|
| F-350 SuperCab LB DRW 2WD | 6.2L V-8    | 12,700 (i)          |
| F-350 SuperCab LB DRW 2WD | 6.2L V-8    | 16,200 (i)          |
| F-350 SuperCab LB DRW 2WD | 6.7L V-8 TD | 18,000/21,000 (h/k) |
| F-350 SuperCab LB DRW 4WD | 6.2L V-8    | 12,300 (i)          |
| F-350 SuperCab LB DRW 4WD | 6.2L V-8    | 15,800 (i)          |
| F-350 SuperCab LB DRW 4WD | 6.7L V-8 TD | 19,000/21,000 (h/k) |

##### F-350/F-450 Crew Cab

|                     |             |                     |
|---------------------|-------------|---------------------|
| F-350 CC LB DRW 2WD | 6.2L V-8    | 12,500 (i)          |
| F-350 CC LB DRW 2WD | 6.2L V-8    | 16,000 (i)          |
| F-350 CC LB DRW 2WD | 6.7L V-8 TD | 19,000/21,000 (h/k) |
| F-350 CC LB DRW 4WD | 6.2L V-8    | 12,100 (i)          |
| F-350 CC LB DRW 4WD | 6.2L V-8    | 15,600 (i)          |



## 2018 TOW RATINGS

|                         |             |              |
|-------------------------|-------------|--------------|
| F-350 CC LB DRW 4WD     | 6.7L V-8 TD | 21,000 (h/k) |
| F-450 CC LB DRW 2WD/4WD | 6.7L V-8 TD | 21,000 (l)   |

### F-350/F-450 DRW FIFTH-WHEEL TOWING

#### F-350 Regular Cab

|                       |             |              |
|-----------------------|-------------|--------------|
| F-350 Reg Cab DRW 2WD | 6.2L V-8    | 13,100 (i)   |
| F-350 Reg Cab DRW 2WD | 6.2L V-8    | 16,600 (l)   |
| F-350 Reg Cab DRW 2WD | 6.7L V-8 TD | 27,500 (h/k) |
| F-350 Reg Cab DRW 4WD | 6.2L V-8    | 12,700 (i)   |
| F-350 Reg Cab DRW 4WD | 6.2L V-8    | 16,200 (l)   |
| F-350 Reg Cab DRW 4WD | 6.7L V-8 TD | 27,500 (h/k) |

#### F-350 SuperCab

|                           |             |              |
|---------------------------|-------------|--------------|
| F-350 SuperCab DRW LB 2WD | 6.2L V-8    | 12,700 (i)   |
| F-350 SuperCab DRW LB 2WD | 6.2L V-8    | 16,200 (l)   |
| F-350 SuperCab DRW LB 2WD | 6.7L V-8 TD | 27,500 (h/k) |
| F-350 SuperCab DRW LB 4WD | 6.2L V-8    | 12,300 (i)   |
| F-350 SuperCab DRW LB 4WD | 6.2L V-8    | 15,800 (l)   |
| F-350 SuperCab DRW LB 4WD | 6.7L V-8 TD | 27,500 (h/k) |

#### F-350/F-450 Crew Cab

|                         |             |              |
|-------------------------|-------------|--------------|
| F-350 CC LB DRW 2WD     | 6.2L V-8    | 12,500 (i)   |
| F-350 CC LB DRW 2WD     | 6.2L V-8    | 16,000 (l)   |
| F-350 CC LB DRW 2WD     | 6.7L V-8 TD | 27,500 (h/k) |
| F-350 CC LB DRW 4WD     | 6.2L V-8    | 12,000 (i)   |
| F-350 CC LB DRW 4WD     | 6.2L V-8    | 15,500 (l)   |
| F-350 CC LB DRW 4WD     | 6.7L V-8 TD | 27,300 (h)   |
| F-350 CC LB DRW 4WD     | 6.7L V-8 TD | 27,500 (k)   |
| F-450 CC LB DRW 2WD/4WD | 6.7L V-8 TD | 27,500 (l)   |

### LINCOLN

|                     |             |             |
|---------------------|-------------|-------------|
| MKC                 | All         | 3,000 (t)** |
| MKT FWD             | 3.7L V-6    | 2,000 (t)   |
| MKT AWD             | 3.5L V-6 TC | 4,500 (t)   |
| MKX FWD/AWD         | All         | 3,500 (t)   |
| Navigator 2WD       | 3.5L V-6 TC | 6,200*      |
| Navigator 2WD       | 3.5L V-6 TC | 8,700 (t)*  |
| Navigator 4WD       | 3.5L V-6 TC | 6,200*      |
| Navigator 4WD       | 3.5L V-6 TC | 8,300 (t)*  |
| Navigator L 2WD/4WD | 3.5L V-6 TC | 6,600*      |
| Navigator L 2WD     | 3.5L V-6 TC | 8,400 (t)*  |
| Navigator L 4WD     | 3.5L V-6 TC | 8,100 (t)*  |

\*Maximum loaded trailer weight requires weight-distributing hitch.

\*\*Certain states require electric trailer brakes for trailers over a specified weight.

Maximum trailer weight listed may be limited to this specified weight, as the electrical system does not include the wiring connector needed to activate electric trailer brakes.

### TRANSIT VAN

#### T-150/250 Regular Wheelbase

|                          |             |             |
|--------------------------|-------------|-------------|
| Transit T-150/250 RWB LR | 3.7L V-6    | 5,400 (i,t) |
| Transit T-150/250 RWB LR | 3.7L V-6    | 6,600 (k,t) |
| Transit T-150/250 RWB LR | 3.5L V-6 TC | 5,700 (f,t) |
| Transit T-150/250 RWB LR | 3.5L V-6 TC | 7,100 (i,t) |
| Transit T-150/250 RWB LR | 3.2L I-5 TD | 4,800 (f,t) |

|                          |             |             |
|--------------------------|-------------|-------------|
| Transit T-150/250 RWB MR | 3.7L V-6    | 5,200 (i,t) |
| Transit T-150/250 RWB MR | 3.7L V-6    | 6,400 (k,t) |
| Transit T-150/250 RWB MR | 3.5L V-6 TC | 5,500 (f,t) |
| Transit T-150/250 RWB MR | 3.5L V-6 TC | 6,900 (i,t) |
| Transit T-150/250 RWB MR | 3.2L I-5 TD | 4,600 (f,t) |

#### T-150/250 Long Wheelbase

|                          |             |             |
|--------------------------|-------------|-------------|
| Transit T-150/250 LWB LR | 3.7L V-6    | 5,200 (i,t) |
| Transit T-150/250 LWB LR | 3.7L V-6    | 6,400 (k,t) |
| Transit T-150/250 LWB LR | 3.5L V-6 TC | 5,600 (f,t) |
| Transit T-150/250 LWB LR | 3.5L V-6 TC | 7,000 (i,t) |
| Transit T-150/250 LWB LR | 3.2L I-5 TD | 4,600 (f,t) |
| Transit T-150/250 LWB LR | 3.2L I-5 TD | 7,500 (i,t) |
| Transit T-150/250 LWB MR | 3.7L V-6    | 5,100 (i,t) |
| Transit T-150/250 LWB MR | 3.7L V-6    | 6,300 (k,t) |
| Transit T-150/250 LWB MR | 3.5L V-6 TC | 5,400 (f,t) |
| Transit T-150/250 LWB MR | 3.5L V-6 TC | 6,800 (i,t) |
| Transit T-150/250 LWB MR | 3.2L I-5 TD | 4,500 (f,t) |
| Transit T-150/250 LWB MR | 3.2L I-5 TD | 7,400 (i,t) |

#### T-250 Long Wheelbase

|                         |             |             |
|-------------------------|-------------|-------------|
| Transit T-250 LWB HR    | 3.7L V-6    | 6,200 (k,t) |
| Transit T-250 LWB HR    | 3.5L V-6 TC | 5,300 (f,t) |
| Transit T-250 LWB HR    | 3.5L V-6 TC | 6,700 (i,t) |
| Transit T-250 LWB HR    | 3.2L I-5 TD | 4,400 (f,t) |
| Transit T-250 LWB HR    | 3.2L I-5 TD | 7,300 (i,t) |
| Transit T-250 LWB EL HR | 3.7L V-6    | 6,000 (k,t) |
| Transit T-250 LWB EL HR | 3.5L V-6 TC | 5,100 (f,t) |
| Transit T-250 LWB EL HR | 3.5L V-6 TC | 6,500 (i,t) |
| Transit T-250 LWB EL HR | 3.2L I-5 TD | 4,200 (f,t) |
| Transit T-250 LWB EL HR | 3.2L I-5 TD | 7,100 (i,t) |

#### T-350 Regular Wheelbase

|                      |             |             |
|----------------------|-------------|-------------|
| Transit T-350 RWB LR | 3.7L V-6    | 5,400 (i,t) |
| Transit T-350 RWB LR | 3.7L V-6    | 6,600 (k,t) |
| Transit T-350 RWB LR | 3.5L V-6 TC | 5,700 (f,t) |
| Transit T-350 RWB LR | 3.5L V-6 TC | 7,100 (i,t) |
| Transit T-350 RWB LR | 3.2L I-5 TD | 4,800 (f,t) |
| Transit T-350 RWB MR | 3.7L V-6    | 5,200 (i,t) |
| Transit T-350 RWB MR | 3.7L V-6    | 6,400 (k,t) |
| Transit T-350 RWB MR | 3.5L V-6 TC | 5,500 (f,t) |
| Transit T-350 RWB MR | 3.5L V-6 TC | 6,900 (i,t) |
| Transit T-350 RWB MR | 3.2L I-5 TD | 4,600 (f,t) |

#### T-350 Long Wheelbase

|                      |             |             |
|----------------------|-------------|-------------|
| Transit T-350 LWB LR | 3.7L V-6    | 5,200 (i,t) |
| Transit T-350 LWB LR | 3.7L V-6    | 6,400 (k,t) |
| Transit T-350 LWB LR | 3.5L V-6 TC | 5,600 (f,t) |
| Transit T-350 LWB LR | 3.5L V-6 TC | 7,000 (i,t) |
| Transit T-350 LWB MR | 3.7L V-6    | 5,100 (i,t) |
| Transit T-350 LWB MR | 3.7L V-6    | 6,300 (k,t) |
| Transit T-350 LWB MR | 3.5L V-6 TC | 5,400 (f,t) |
| Transit T-350 LWB MR | 3.5L V-6 TC | 6,800 (i,t) |

|                         |             |              |
|-------------------------|-------------|--------------|
| Transit T-350 LWB HR    | 3.7L V-6    | 6,200 (k,t)  |
| Transit T-350 LWB HR    | 3.5L V-6 TC | 5,300 (f,t)  |
| Transit T-350 LWB HR    | 3.5L V-6 TC | 6,700 (i,t)  |
| Transit T-350 LWB EL HR | 3.7L V-6    | 6,000 (k,t)  |
| Transit T-350 LWB EL HR | 3.5L V-6 TC | 5,100 (f,t)  |
| Transit T-350 LWB EL HR | 3.5L V-6 TC | 6,500 (i,t)  |
| Transit T-350 LWB EL HR | 3.5L V-6 TC | 6,700 (i,t)* |
| Transit T-350 LWB EL HR | 3.2L I-5 TD | 4,200 (f,t)  |
| Transit T-350 LWB EL HR | 3.2L I-5 TD | 7,100 (i,t)  |

\*GCVWR 13,000 lbs.

## TRANSIT WAGON

### T-150 Regular Wheelbase

|                      |             |               |
|----------------------|-------------|---------------|
| Transit T-150 RWB LR | 3.7L V-6    | 4,700 (i,t)   |
| Transit T-150 RWB LR | 3.7L V-6    | 5,100 (k,t)   |
| Transit T-150 RWB LR | 3.5L V-6 TC | 5,100 (f/i,t) |
| Transit T-150 RWB MR | 3.7L V-6    | 4,500 (i,t)   |
| Transit T-150 RWB MR | 3.7L V-6    | 4,900 (k,t)   |
| Transit T-150 RWB MR | 3.5L V-6 TC | 4,900 (f/i,t) |

### T-350 Long Wheelbase

|                         |             |               |
|-------------------------|-------------|---------------|
| Transit T-350 LWB LR    | 3.7L V-6    | 4,300 (i,t)   |
| Transit T-350 LWB LR    | 3.7L V-6    | 4,700 (k,t)   |
| Transit T-350 LWB LR    | 3.5L V-6 TC | 4,600 (f/i,t) |
| Transit T-350 LWB LR    | 3.2L I-5 TD | 3,800 (f,t)   |
| Transit T-350 LWB LR    | 3.2L I-5 TD | 4,400 (i,t)   |
| Transit T-350 LWB MR    | 3.7L V-6    | 4,100 (i,t)   |
| Transit T-350 LWB MR    | 3.7L V-6    | 4,500 (k,t)   |
| Transit T-350 LWB MR    | 3.5L V-6 TC | 4,500 (f/i,t) |
| Transit T-350 LWB MR    | 3.2L I-5 TD | 3,600 (f,t)   |
| Transit T-350 LWB MR    | 3.2L I-5 TD | 4,200 (i,t)   |
| Transit T-350 LWB HR    | 3.7L V-6    | 4,500 (k,t)   |
| Transit T-350 LWB HR    | 3.5L V-6 TC | 4,400 (f/i,t) |
| Transit T-350 LWB HR    | 3.2L I-5 TD | 3,500 (f,t)   |
| Transit T-350 LWB HR    | 3.2L I-5 TD | 4,100 (i,t)   |
| Transit T-350 LWB EL HR | 3.5L V-6 TC | 3,800 (i,t)   |
| Transit T-350 LWB EL HR | 3.2L I-5 TD | 3,500 (i,t)   |

For trailers over 5,000 lbs., heavy-duty trailer tow package required.

## GENERAL MOTORS

### BUICK

|                |          |           |
|----------------|----------|-----------|
| Enclave Avenir | 3.6L V-6 | 5,000 (t) |
| Enclave        | 3.6L V-6 | 5,000 (t) |

### CADILLAC

|                  |          |           |
|------------------|----------|-----------|
| Escalade 2WD     | 6.2L V-8 | 8,300     |
| Escalade 4WD     | 6.2L V-8 | 8,100     |
| Escalade ESV 2WD | 6.2L V-8 | 8,100     |
| Escalade ESV 4WD | 6.2L V-8 | 7,900     |
| XT5 FWD/AWD      | 3.6L V-6 | 3,500 (t) |

### CHEVROLET COLORADO/GMC CANYON

|                 |          |       |
|-----------------|----------|-------|
| Colorado/Canyon | 2.5L I-4 | 3,500 |
|-----------------|----------|-------|

|                        |          |           |
|------------------------|----------|-----------|
| Colorado/Canyon CC 2WD | 2.8L TD  | 7,700     |
| Colorado/Canyon CC 4WD | 2.8L TD  | 7,600     |
| Colorado Ext Cab       | 2.8L TD  | 7,700     |
| Colorado/Canyon        | 3.6L V-6 | 7,000 (t) |
| Colorado ZR2           | All      | 5,000     |

### CHEVROLET EQUINOX, TRAVERSE/GMC ACADIA, TERRAIN

|                               |             |           |
|-------------------------------|-------------|-----------|
| Chevrolet Equinox/GMC Terrain | 2.0L I-4 TC | 3,500 (t) |
| Chevrolet Traverse            | 3.6L V-6    | 5,000 (t) |
| GMC Acadia                    | 3.6L V-6    | 4,000 (t) |
| GMC Acadia Denali             | 3.6L V-6    | 4,000     |

### CHEVROLET EXPRESS/GMC SAVANA

|                            |             |            |
|----------------------------|-------------|------------|
| Express/Savana 2500 CV     | 4.3L V-8    | 7,200 (t)  |
| Express/Savana 2500 CV     | 6.0L V-8    | 10,000 (t) |
| Express/Savana 2500 CV     | 2.8L I-4 TD | 6,800 (t)  |
| Express/Savana 2500 LWB CV | 4.3L V-8    | 6,900 (t)  |
| Express/Savana 2500 LWB CV | 6.0L V-8    | 9,800 (t)  |
| Express/Savana 2500 LWB CV | 2.8L I-4 TD | 6,500 (t)  |
| Express/Savana 2500 PV     | 4.3L V-8    | 6,500 (t)  |
| Express/Savana 2500 PV     | 6.0L V-8    | 9,400 (t)  |
| Express/Savana 2500 PV     | 2.8L I-4 TD | 6,100 (t)  |
| Express/Savana 3500 CV     | 4.3L V-8    | 7,200 (t)  |
| Express/Savana 3500 CV     | 6.0L V-8    | 10,000 (t) |
| Express/Savana 3500 CV     | 2.8L I-4 TD | 6,800 (t)  |
| Express/Savana 3500 LWB CV | 4.3L V-8    | 7,000 (t)  |
| Express/Savana 3500 LWB CV | 6.0L V-8    | 9,900 (t)  |
| Express/Savana 3500 LWB CV | 2.8L I-4 TD | 6,500 (t)  |
| Express/Savana 3500 PV     | 4.3L V-8    | 6,500 (t)  |
| Express/Savana 3500 PV     | 6.0L V-8    | 9,400 (t)  |
| Express/Savana 3500 PV     | 2.8L I-4 TD | 6,000 (t)  |
| Express/Savana 3500 LWB PV | 4.3L V-8    | 6,100 (t)  |
| Express/Savana 3500 LWB PV | 6.0L V-8    | 9,000 (t)  |
| Express/Savana 3500 LWB PV | 2.8L I-4 TD | 5,700 (t)  |

### CHEVROLET SILVERADO/GMC SIERRA 1500

#### CONVENTIONAL/FIFTH-WHEEL TOWING

Chevy/GMC Bed Lengths: Shortbed 5'8"/Standard 6.5'/Longbed 8'

#### 1500 Regular Cab

|                          |          |                   |
|--------------------------|----------|-------------------|
| 1500 Reg Cab Std Bed 2WD | 4.3L V-6 | 6,000/6,000 (e,t) |
| 1500 Reg Cab Std Bed 2WD | 5.3L V-8 | 6,900/6,900 (b,t) |
| 1500 Reg Cab Std Bed 2WD | 5.3L V-8 | 8,900/8,900 (g,t) |
| 1500 Reg Cab Std Bed 4WD | 4.3L V-6 | 7,600/7,500 (g,t) |
| 1500 Reg Cab Std Bed 4WD | 5.3L V-8 | 6,600/6,600 (b,t) |
| 1500 Reg Cab Std Bed 4WD | 5.3L V-8 | 8,600/8,600 (g,t) |
| 1500 Reg Cab LB 2WD      | 4.3L V-6 | 5,900/5,900 (e,t) |
| 1500 Reg Cab LB 2WD      | 5.3L V-8 | 6,800/6,700 (b,t) |
| 1500 Reg Cab LB 2WD      | 5.3L V-8 | 9,800/9,700 (g,t) |
| 1500 Reg Cab LB 4WD      | 4.3L V-6 | 7,400/7,400 (g,t) |
| 1500 Reg Cab LB 4WD      | 5.3L V-8 | 6,500/6,500 (b,t) |
| 1500 Reg Cab LB 4WD      | 5.3L V-8 | 9,500/9,500 (g,t) |



### 1500 Double Cab

|             |          |                         |
|-------------|----------|-------------------------|
| 1500 DC 2WD | 4.3L V-6 | 5,600/5,600 (e,t)       |
| 1500 DC 2WD | 5.3L V-8 | 6,400/6,400 (b,t)       |
| 1500 DC 2WD | 5.3L V-8 | 9,400/9,400 (a8,g,t)    |
| 1500 DC 2WD | 5.3L V-8 | 11,100/11,000 (i,t)     |
| 1500 DC 2WD | 6.2L V-8 | 9,400/9,000 (a8*,e,t)   |
| 1500 DC 2WD | 6.2L V-8 | 12,500/11,600 (a8*,g,t) |
| 1500 DC 4WD | 4.3L V-6 | 7,100/7,000 (g,t)       |
| 1500 DC 4WD | 5.3L V-8 | 6,200/6,200 (b,t)       |
| 1500 DC 4WD | 5.3L V-8 | 9,200/9,000 (a8,g,t)    |
| 1500 DC 4WD | 5.3L V-8 | 10,800/10,800 (i,t)     |
| 1500 DC 4WD | 6.2L V-8 | 9,100/8,600 (a8*,e,t)   |
| 1500 DC 4WD | 6.2L V-8 | 11,800/11,000 (a8*,g,t) |

### 1500 Crew Cab

|                     |          |                         |
|---------------------|----------|-------------------------|
| 1500 CC SB 2WD      | 4.3L V-6 | 5,500 (e,t)             |
| 1500 CC SB 2WD      | 5.3L V-8 | 6,400 (b,t)             |
| 1500 CC SB 2WD      | 5.3L V-8 | 9,400 (a8,g,t)          |
| 1500 CC SB 2WD      | 5.3L V-8 | 11,000 (i,t)            |
| 1500 CC SB 2WD      | 6.2L V-8 | 9,300 (a8,e,t)          |
| 1500 CC SB 2WD      | 6.2L V-8 | 12,500 (a8,g,t)         |
| 1500 CC SB 4WD      | 4.3L V-6 | 7,000 (g,t)             |
| 1500 CC SB 4WD      | 5.3L V-8 | 6,100 (b,t)             |
| 1500 CC SB 4WD      | 5.3L V-8 | 9,100 (a8,g,t)          |
| 1500 CC SB 4WD      | 5.3L V-8 | 10,700 (i,t)            |
| 1500 CC SB 4WD      | 6.2L V-8 | 9,100 (a8,e,t)          |
| 1500 CC SB 4WD      | 6.2L V-8 | 11,700 (a8,g,t)         |
| 1500 CC Std Bed 2WD | 5.3L V-8 | 6,300/6,300 (b,t)       |
| 1500 CC Std Bed 2WD | 5.3L V-8 | 9,300/8,500 (g,t)       |
| 1500 CC Std Bed 2WD | 5.3L V-8 | 11,000/10,700 (a8*,i,t) |
| 1500 CC Std Bed 2WD | 6.2L V-8 | 9,300/8,300 (a8*,e,t)   |
| 1500 CC Std Bed 2WD | 6.2L V-8 | 11,900/10,500 (a8*,g,t) |
| 1500 CC Std Bed 4WD | 5.3L V-8 | 6,100/6,000 (b,t)       |
| 1500 CC Std Bed 4WD | 5.3L V-8 | 9,100/8,100 (a8,g,t)    |
| 1500 CC Std Bed 4WD | 5.3L V-8 | 10,700/10,300 (i,t)     |
| 1500 CC Std Bed 4WD | 6.2L V-8 | 9,000/8,000 (a8*,e,t)   |
| 1500 CC Std Bed 4WD | 6.2L V-8 | 11,700/10,200 (a8*,g,t) |

Conventional towing only, if single tow limit listed.

\*8-speed automatic transmission required for maximum trailering capacity with conventional towing.

### CHEVROLET SILVERADO/GMC SIERRA 2500

#### CONVENTIONAL/FIFTH-WHEEL TOWING

##### 2500 Regular Cab

|                     |             |                   |
|---------------------|-------------|-------------------|
| 2500 Reg Cab LB 2WD | 6.0L V-8    | 14,500/14,800 (k) |
| 2500 Reg Cab LB 2WD | 6.6L V-8 TD | 14,500/18,100 (i) |
| 2500 Reg Cab LB 4WD | 6.0L V-8    | 14,500/14,500 (k) |
| 2500 Reg Cab LB 4WD | 6.6L V-8 TD | 14,500/15,900 (i) |

##### 2500 Double Cab

|                     |             |                   |
|---------------------|-------------|-------------------|
| 2500 DC Std Bed 2WD | 6.0L V-8    | 13,000/14,500 (k) |
| 2500 DC Std Bed 2WD | 6.6L V-8 TD | 13,000/16,400 (i) |
| 2500 DC Std Bed 4WD | 6.0L V-8    | 13,000/14,200 (k) |
| 2500 DC Std Bed 4WD | 6.6L V-8 TD | 13,000/14,400 (i) |

|                |             |                   |
|----------------|-------------|-------------------|
| 2500 DC LB 2WD | 6.0L V-8    | 14,400/14,400 (k) |
| 2500 DC LB 2WD | 6.6L V-8 TD | 14,500/15,700 (i) |
| 2500 DC LB 4WD | 6.0L V-8    | 14,100/14,100 (k) |
| 2500 DC LB 4WD | 6.6L V-8 TD | 14,500/13,700 (i) |

##### 2500 Crew Cab

|                     |             |                   |
|---------------------|-------------|-------------------|
| 2500 CC Std Bed 2WD | 6.0L V-8    | 13,000/14,300 (k) |
| 2500 CC Std Bed 2WD | 6.6L V-8 TD | 13,000/15,400 (i) |
| 2500 CC Std Bed 4WD | 6.0L V-8    | 13,000/14,000 (k) |
| 2500 CC Std Bed 4WD | 6.6L V-8 TD | 13,000/13,500 (i) |
| 2500 CC LB 2WD      | 6.0L V-8    | 14,300/14,200 (k) |
| 2500 CC LB 2WD      | 6.6L V-8 TD | 14,500/14,800 (i) |
| 2500 CC LB 4WD      | 6.0L V-8    | 13,900/13,900 (k) |
| 2500 CC LB 4WD      | 6.6L V-8 TD | 14,500/12,400 (i) |

### CHEVROLET SILVERADO/GMC SIERRA 3500

#### CONVENTIONAL/FIFTH-WHEEL TOWING

##### 3500 Regular Cab

|                         |             |                   |
|-------------------------|-------------|-------------------|
| 3500 Reg Cab LB SRW 2WD | 6.0L V-8    | 14,500/14,600 (k) |
| 3500 Reg Cab LB SRW 4WD | 6.0L V-8    | 14,300/14,300 (k) |
| 3500 Reg Cab LB SRW 4WD | 6.6L V-8 TD | 14,500/17,600 (i) |
| 3500 Reg Cab LB DRW 2WD | 6.0L V-8    | 14,300/14,300 (k) |
| 3500 Reg Cab LB DRW 4WD | 6.0L V-8    | 14,000/13,900 (k) |
| 3500 Reg Cab LB DRW 4WD | 6.6L V-8 TD | 20,000/23,300 (i) |

##### 3500 Double Cab

|                    |             |                   |
|--------------------|-------------|-------------------|
| 3500 DC LB SRW 2WD | 6.0L V-8    | 14,200/14,200 (k) |
| 3500 DC LB SRW 2WD | 6.6L V-8 TD | 14,500/17,500 (i) |
| 3500 DC LB SRW 4WD | 6.0L V-8    | 13,900/13,900 (k) |
| 3500 DC LB SRW 4WD | 6.6L V-8 TD | 14,500/17,200 (i) |
| 3500 DC LB DRW 2WD | 6.0L V-8    | 13,800/13,800 (k) |
| 3500 DC LB DRW 2WD | 6.6L V-8 TD | 20,000/23,200 (i) |
| 3500 DC LB DRW 4WD | 6.0L V-8    | 13,600/13,500 (k) |
| 3500 DC LB DRW 4WD | 6.6L V-8 TD | 20,000/22,900 (i) |

##### 3500 Crew Cab

|                         |             |                   |
|-------------------------|-------------|-------------------|
| 3500 CC Std Bed SRW 2WD | 6.0L V-8    | 13,000/14,200 (k) |
| 3500 CC Std Bed SRW 2WD | 6.6L V-8 TD | 13,000/17,500 (i) |
| 3500 CC Std Bed SRW 4WD | 6.0L V-8    | 13,000/13,900 (k) |
| 3500 CC Std Bed SRW 4WD | 6.6L V-8 TD | 13,000/17,200 (i) |
| 3500 CC LB SRW 2WD      | 6.0L V-8    | 14,100/14,000 (k) |
| 3500 CC LB SRW 2WD      | 6.6L V-8 TD | 14,500/17,400 (i) |
| 3500 CC LB DRW 2WD      | 6.0L V-8    | 13,700/13,700 (k) |
| 3500 CC LB DRW 2WD      | 6.6L V-8 TD | 20,000/23,100 (i) |
| 3500 CC LB SRW 4WD      | 6.0L V-8    | 13,700/13,700 (k) |
| 3500 CC LB SRW 4WD      | 6.6L V-8 TD | 15,000/17,000 (i) |
| 3500 CC LB DRW 4WD      | 6.0L V-8    | 13,400/13,300 (k) |
| 3500 CC LB DRW 4WD      | 6.6L V-8 TD | 20,000/22,700 (i) |

Ratings for Sierra Denali HD models may vary slightly. See dealer for details.

Fifth-wheel towing requires gooseneck/fifth-wheel prep package.

### CHEVROLET SUBURBAN, TAHOE/GMC YUKON

|                       |          |           |
|-----------------------|----------|-----------|
| Suburban/Yukon XL 2WD | 5.3L V-8 | 6,300 (b) |
|-----------------------|----------|-----------|

|                        |          |             |
|------------------------|----------|-------------|
| Suburban/Yukon XL 2WD  | 5.3L V-8 | 8,300 (g,t) |
| Suburban/Yukon XL 4WD  | 5.3L V-8 | 6,000 (b)   |
| Suburban/Yukon XL 4WD  | 5.3L V-8 | 8,000 (g,t) |
| Tahoe/Yukon 2WD        | 5.3L V-8 | 8,500 (g,t) |
| Tahoe/Yukon 2WD        | 5.3L V-8 | 6,500 (b)   |
| Tahoe/Yukon 4WD        | 5.3L V-8 | 6,300 (b)   |
| Tahoe/Yukon 4WD        | 5.3L V-8 | 8,200 (g,t) |
| Tahoe/Yukon Denali 2WD | 6.2L V-8 | 8,400 (e)   |
| Tahoe/Yukon Denali 4WD | 6.2L V-8 | 8,100 (e)   |
| Yukon XL Denali 2WD    | 6.2L V-8 | 8,100 (e)   |
| Yukon XL Denali 4WD    | 6.2L V-8 | 7,900 (e)   |

Ratings for Tahoe and Yukon models may vary slightly. See dealer for details.

| HONDA         |          |               |
|---------------|----------|---------------|
| Odyssey       | 3.5L V-6 | 3,000 (a9,t)  |
| Odyssey       | 3.5L V-6 | 3,500 (a10,t) |
| Pilot 2WD     | 3.5L V-6 | 3,500 (t)     |
| Pilot AWD     | 3.5L V-6 | 5,000 (t)     |
| Ridgeline 2WD | 3.5L V-6 | 3,500 (t)     |
| Ridgeline AWD | 3.5L V-6 | 5,000 (t)     |

| HYUNDAI        |             |           |
|----------------|-------------|-----------|
| Santa Fe       | 3.3L V-6    | 5,000 (t) |
| Santa Fe Sport | 2.4L I-4    | 2,000 (t) |
| Santa Fe Sport | 2.0L I-4 TC | 3,500 (t) |

| INFINITI |          |           |
|----------|----------|-----------|
| QX60     | 3.5L V-6 | 5,000 (t) |
| QX80     | 5.6L V-8 | 8,500 *   |

\*2017 tow rating; 2018 rating not available at press time.

| KIA              |             |            |
|------------------|-------------|------------|
| Sedona           | 3.3L V-6    | 3,500 (t)  |
| Sorento FWD/AWD  | 2.4L I-4    | 2,000 (t)  |
| Sorento FWD/AWD  | 2.0L I-4 TC | 3,500 (t)  |
| Sorento FWD      | 3.3L V-6    | 3,500 (t)  |
| Sorento AWD      | 3.3L V-6    | 5,000 (t)  |
| Sportage FWD/AWD | All         | 2,000 (t)* |

\*With trailer brakes

| LAND ROVER                     |                     |            |
|--------------------------------|---------------------|------------|
| Land Rover Discovery           | 3.0L V-6 TD         | 7,716 (t)* |
| Land Rover Discovery           | 3.0L V-6 SC         | 8,201 (t)* |
| Land Rover Discovery Sport     | 2.0L I-4 TC         | 4,409 (t)  |
| Range Rover                    | 3.0L V-6 TD         | 7,716 (t)  |
| Range Rover                    | 3.0L V-6 SC         | 7,716 (t)  |
| Range Rover                    | 5.0L V-8 SC (518hp) | 7,716 (t)  |
| Range Rover                    | 5.0L V-8 SC (557hp) | 6,614 (t)  |
| Range Rover Evoque 5-Door      | All                 | 3,968 (t)  |
| Range Rover Evoque Convertible | All                 | 3,306 (t)  |
| Range Rover Sport              | All                 | 7,716 (t)  |
| Ranger Rover Velar             | 2.0L I-4 TC/TD      | 5,291 (t)  |
| Ranger Rover Velar             | 3.0L V-6 SC         | 5,512 (t)  |

\*2017 tow ratings; 2018 ratings not available at press time.

| LEXUS              |             |           |
|--------------------|-------------|-----------|
| NX 200t            | 2.0L I-4 TC | 2,000 (t) |
| RX 350             | 3.5L V-6    | 3,500 (t) |
| RX 450h AWD Hybrid | 3.5L V-6    | 3,500 (t) |
| GX 460             | 4.6L V-8    | 6,500     |
| LX 570             | 5.7L V-8    | 7,000     |

| MAZDA |          |           |
|-------|----------|-----------|
| CK5   | 2.0L     | 2,000 (t) |
| CK9   | 3.7L V-6 | 3,500 (t) |

| MERCEDES-BENZ              |             |           |
|----------------------------|-------------|-----------|
| GLC Coupe                  | All         | 3,500 (t) |
| GLC SUV                    | All         | 3,500 (t) |
| GLE Coupe                  | All         | 7,200 (t) |
| GLE SUV AMG                | All         | 7,200 (t) |
| GLE 350 SUV RWD            | 3.5L V-6    | 6,600 (t) |
| GLE 350 4Matic SUV AWD     | 3.5L V-6    | 7,200 (t) |
| GLE 550e 4Matic AWD Hybrid | 3.0L V-6 TC | 4,410 (t) |
| GLS 450/550 4Matic SUV     | All         | 7,200 (t) |
| GLS 63 SUV AMG             | 5.5L V-8 TC | 7,500 (t) |
| G-Class SUV                | All         | 7,000     |

| MITSUBISHI   |          |           |
|--------------|----------|-----------|
| Outlander GT | 3.0L V-6 | 3,500 (t) |

| NISSAN                               |             |                    |
|--------------------------------------|-------------|--------------------|
| Armada                               | 5.6L V-8    | 8,500 (t)          |
| Frontier S/SV CC 5' Bed 2WD          | 4.0L V-6    | 6,640 (t)          |
| Frontier S/SV CC 5' Bed 4WD          | 4.0L V-6    | 6,370 (t)          |
| Frontier SV CC 6'1" Bed 2WD          | 4.0L V-6    | 6,500 (t)          |
| Frontier SV CC 6'1" Bed 4WD          | 4.0L V-6    | 6,240 (t)          |
| Frontier DR CC 5' Bed 2WD            | 4.0L V-6    | 6,610 (t)          |
| Frontier SL CC 5' Bed 2WD            | 4.0L V-6    | 6,480 (t)          |
| Frontier SL CC 5' Bed 4WD            | 4.0L V-6    | 6,240 (t)          |
| Frontier SL CC 6'1" Bed 4WD          | 4.0L V-6    | 6,110 (t)          |
| Frontier PRO-4X CC 5' Bed 4WD        | 4.0L V-6    | 6,290 (t)          |
| Frontier S/SV Ext Cab 6'1" Bed 2WD   | 2.5L I-4    | 3,790 (t)          |
| Frontier SV Ext Cab 6'1" Bed 2WD     | 4.0L V-6    | 6,710 (t)          |
| Frontier SV Ext Cab 6'1" Bed 4WD     | 4.0L V-6    | 6,510 (t)          |
| Frontier DR Ext Cab 6'1" Bed 2WD     | 4.0L V-6    | 6,690 (t)          |
| Frontier PRO-4X Ext Cab 6'1" Bed 4WD | 4.0L V-6    | 6,450 (t)          |
| Pathfinder                           | 3.5L V-6    | 6,000 (t)*         |
| Titan Reg Cab 8' Bed 2WD             | 5.6L V-8    | 9,740 (t)*         |
| Titan Reg Cab 8' Bed 4WD             | 5.6L V-8    | 9,560 (t)*         |
| Titan Ext Cab 6'6" Bed 2WD           | 5.6L V-8    | 9,420 (t)*         |
| Titan Ext Cab 6'6" Bed 4WD           | 5.6L V-8    | 9,250 (t)*         |
| Titan CC 5'7" Bed 2WD                | 5.6L V-8    | 9,400 (t)*         |
| Titan CC 5'7" Bed 4WD                | 5.6L V-8    | 9,230 (t)*         |
| Titan XD Reg Cab 8' Bed 2WD          | 5.0L V-8 TD | 12,640/12,760 (t)* |
| Titan XD Reg Cab 8' Bed 4WD          | 5.0L V-8 TD | 12,360/12,480 (t)* |
| Titan XD Ext Cab 6'6" Bed 2WD        | 5.6L V-8    | 11,380/11,510 (t)* |
| Titan XD Ext Cab 6'6" Bed 4WD        | 5.6L V-8    | 11,060/11,180 (t)* |



## 2018 TOW RATINGS

|                               |             |                    |
|-------------------------------|-------------|--------------------|
| Titan XD Ext Cab 6'6" Bed 2WD | 5.0L V-8 TD | 12,510/12,630 (t)* |
| Titan XD Ext Cab 6'6" Bed 4WD | 5.0L V-8 TD | 12,160/12,160 (t)* |
| Titan XD CC 6'6" Bed 2WD      | 5.6L V-8    | 11,260/11,390 (t)* |
| Titan XD CC 6'6" Bed 4WD      | 5.6L V-8    | 10,990/11,120 (t)* |
| Titan XD CC 6'6" Bed 2WD      | 5.0L V-8 TD | 12,310/11,900 (t)* |
| Titan XD CC 6'6" Bed 4WD      | 5.0L V-8 TD | 12,030/11,330 (t)* |

Titan XD ratings include conventional/fifth-wheel tow limits.

\*Tow package required for some models, standard on others. See dealer for details.

### PORSCHE

|           |     |           |
|-----------|-----|-----------|
| Cayenne S | All | 7,716 (t) |
| Macan     | All | 4,409 (t) |

### SUBARU

|         |     |       |
|---------|-----|-------|
| Outback | All | 2,700 |
|---------|-----|-------|

Connector for trailer harness is standard. Hitch receiver/hitch can be added as dealer-installed accessory.

### TOYOTA

|                       |          |           |
|-----------------------|----------|-----------|
| 4Runner               | 4.0L V-6 | 5,000     |
| Highlander            | 3.5L V-6 | 5,000 (t) |
| Highlander Hybrid     | 3.5L V-6 | 3,500 (t) |
| Land Cruiser          | 5.7L V-8 | 8,100     |
| RAV4 Adventure FWD    | 2.5L I-4 | 2,900 (t) |
| RAV4 Adventure AWD    | 2.5L I-4 | 3,500 (t) |
| Sequoia SR5 2WD       | 5.7L V-8 | 7,400     |
| Sequoia SR5 4WD       | 5.7L V-8 | 7,100     |
| Sequoia TRD Sport 2WD | 5.7L V-8 | 7,400     |
| Sequoia TRD Sport 4WD | 5.7L V-8 | 7,100     |
| Sequoia Ltd 2WD       | 5.7L V-8 | 7,400     |
| Sequoia Ltd 4WD       | 5.7L V-8 | 7,100     |
| Sequoia Platinum 2WD  | 5.7L V-8 | 7,200     |
| Sequoia Platinum 4WD  | 5.7L V-8 | 7,000     |
| Sienna                | 3.5L V-6 | 3,500 (t) |

### TACOMA

Tacoma Bed Lengths: Shortbed 5'/Longbed 6'/Access Cab Standard 6'/DC Standard 5'

|                                 |          |           |
|---------------------------------|----------|-----------|
| Tacoma SR Access Cab 2WD/4WD    | 2.7L I-4 | 3,500 (t) |
| Tacoma SR DC 2WD                | 2.7L V-6 | 3,500 (t) |
| Tacoma SR DC 4WD                | 3.5L V-6 | 6,400     |
| Tacoma SR5 Access Cab 2WD       | 3.5L V-6 | 6,800     |
| Tacoma SR5 DC 2WD               | 3.5L V-6 | 6,700     |
| Tacoma SR5 DC 2WD               | 2.7L I-4 | 3,500 (t) |
| Tacoma SR5 DC 4WD               | 3.5L V-6 | 6,400     |
| Tacoma SR5 Access Cab 4WD       | 3.5L V-6 | 6,500     |
| Tacoma DC 2WD LB                | 3.5L V-6 | 6,600     |
| Tacoma TRD Sport Access Cab 2WD | 3.5L V-6 | 6,800     |
| Tacoma TRD Sport Access Cab 4WD | 3.5L V-6 | 6,500     |
| Tacoma TRD Sport DC 2WD SB      | 3.5L V-6 | 6,700     |
| Tacoma TRD Sport DC 2WD LB      | 3.5L V-6 | 6,600     |
| Tacoma TRD Sport DC 4WD SB/LB   | 3.5L V-6 | 6,400     |
| Tacoma TRD Off Road DC 2WD SB   | 3.5L V-6 | 6,700     |

|                                    |          |       |
|------------------------------------|----------|-------|
| Tacoma TRD Off Road Access Cab 4WD | 3.5L V-6 | 6,500 |
| Tacoma TRD Off Road DC 4WD         | 3.5L V-6 | 6,400 |
| Tacoma TRD PRO DC 4WD              | 3.5L V-6 | 6,400 |
| Tacoma Limited DC 2WD SB           | 3.5L V-6 | 6,600 |
| Tacoma Limited DC 4WD SB           | 3.5L V-6 | 6,400 |

### TUNDRA

Tundra Bed Lengths: DC Standard 6.5'/Longbed 8'1"/CrewMax Standard 5.5'

|                             |          |           |
|-----------------------------|----------|-----------|
| Tundra SR DC 2WD            | 4.6L V-8 | 6,800 (t) |
| Tundra SR5 DC 2WD           | 4.6L V-8 | 6,800 (t) |
| Tundra SR DC 2WD            | 5.7L V-8 | 10,200    |
| Tundra SR5 DC LB 2WD        | 5.7L V-8 | 10,100    |
| Tundra SR DC LB 2WD         | 5.7L V-8 | 10,100    |
| Tundra Limited DC 2WD       | 5.7L V-8 | 10,100    |
| Tundra SR5 CrewMax 2WD      | 4.6L V-8 | 6,700 (t) |
| Tundra SR5 CrewMax 2WD      | 5.7L V-8 | 10,100    |
| Tundra Limited CrewMax 2WD  | 5.7L V-8 | 9,400     |
| Tundra Platinum CrewMax 2WD | 5.7L V-8 | 9,400     |
| Tundra 1794 CrewMax 2WD     | 5.7L V-8 | 9,400     |
| Tundra SR5 DC 4WD           | 5.7L V-8 | 9,900     |
| Tundra SR DC 4WD            | 5.7L V-8 | 9,900     |
| Tundra SR DC LB 4WD         | 5.7L V-8 | 9,800     |
| Tundra SR5 DC LB 4WD        | 5.7L V-8 | 9,800     |
| Tundra SR DC Std Bed 4WD    | 4.6L V-8 | 6,500     |
| Tundra SR5 DC Std Bed 4WD   | 4.6L V-8 | 6,500     |
| Tundra SR5 DC Std Bed 4WD   | 5.7L V-8 | 9,900     |
| Tundra SR DC Std Bed 4WD    | 5.7L V-8 | 9,900     |
| Tundra SR DC LB 4WD         | 5.7L V-8 | 9,800     |
| Tundra SR5 DC LB 4WD        | 5.7L V-8 | 9,800     |
| Tundra Limited DC 4WD       | 5.7L V-8 | 9,100     |
| Tundra SR5 CrewMax 4WD      | 4.6L V-8 | 6,400 (t) |
| Tundra SR5 CrewMax 4WD      | 5.7L V-8 | 9,800     |
| Tundra TRD Pro CrewMax 4WD  | 5.7L V-8 | 9,200     |
| Tundra Limited CrewMax 4WD  | 5.7L V-8 | 8,800     |
| Tundra Platinum CrewMax 4WD | 5.7L V-8 | 8,800     |
| Tundra 1794 CrewMax 4WD     | 5.7L V-8 | 8,800     |

Tundra ratings vary depending on trim level and equipment selected. See dealer for details.

### VOLKSWAGEN

|                |             |           |
|----------------|-------------|-----------|
| Atlas          | 2.0L I-4 TC | 2,000 (t) |
| Atlas FWD/AWD  | 3.6L V-6    | 5,000 (t) |
| Tiguan Limited | 2.0L I-4 TC | 2,200 (t) |

### VOLVO

|                           |                |           |
|---------------------------|----------------|-----------|
| S60 T5, T6, Cross Country | All            | 3,500 (t) |
| V60 T5, T6, Cross Country | All            | 3,968 (t) |
| V90 T5 FWD                | 2.0L I-4 TC    | 2,000 (t) |
| V90 T6 AWD                | 2.0L I-4 TC/SC | 3,500 (t) |
| V90 Cross Country AWD     | All            | 3,500 (t) |
| XC60                      | All            | 3,500 (t) |
| XC90                      | All            | 5,200 (t) |